

The Begonian

ISSN 0096-8684

Publication of the American Begonia Society

American Begonia Society

Founded January 1932 by Herbert P. Dyckman

Aims and Purposes

To stimulate and promote interest in begonias and other shadeloving plants.

To encourage the introduction and development of new types of these plants.

To standardize the nomenclature of begonias.

To gather and publish information in regard to kinds, propagation, and culture of begonias and companion plants.

To issue a bulletin that will be mailed to all members of the society.

To bring into friendly contact all who love and grow begonias.

The Begonian is published bimonthly by the American Begonia Society, Inc. Views expressed are not necessarily those of the society, its officers, or the editor. Contents, except where labeled otherwise, may be reprinted without limitation, provided credit is given to "The Begonian, magazine of the American Begonia Society."

Membership (subscription) \$17 annually, \$23 first class mail, US, Mexico, and Canada. \$27 foreign surface mail except Mexico and Canada, \$37 Overseas airmail. Added member, same household, \$2. Consult Membership Chairman for sustaining, benefactor, life membership dues. U.S. currency only. Back issues (current volume) \$2.50.

American Begonia Society - P.O. Box 471651, San Francisco CA 94147-1651

Membership - Subscription, dues, circulation, inquiries, and address changes: Arlene Ingles., 157 Monument, Rio Dell, CA 95562-1617; (707) 764-5407. E-mail: ingles@humboldt1.com

Cover

Front: Rekha Morris found this begonia she believes could be *B. heydei* in the rain forrests of Costa Rica.

Back: Charles McGough showed SWR/ABS Get-Together attendees how to create their very own rainforest complete with a waterfall on a table top as he has here. Note that his cane seedlings in the front foreground were planted and grown in situ. Photo by **Midori Nobusawa**.

In This Issue

Costa Rica! Several ABS members have traveled in recent months or will be soon to Costa Rica. See what attracts them when **Rekha Morris** takes us along on her visit beginning on page 9.

New Cultivars. Brad Thompson's plants have been favorites in shows and plant sales for some time. In this issue, another group gains registration.

2000 Index 17

Articles **Annual Meeting Minutes** In the Mailbox Startin' Out Begonias from Costa Rica Pronunciation Guide SWR/ABS Best in Show 14 Coming Events Proposed Constitutional Officer's Page Changes and Ballot 15 SWR/ABS Winners 29 A Doll in Denver in 2001 31 New Cultivars 32 36 In Memory: Bernice Schubert

Regular Features

President's Notes	4
Letters to the Editor	4
Seed Fund	24
Board Meeting Minutes	26

Quick

Check your mailing label. If it reads

200103 or 200104, your membership is about to expire. Please renew! We don't want to lose you.

26

28

28

36

38

39

President's Message...

Winter is in its icy grip. I hope all ABS members and their begonias are warm and toasty. Winter arrived early in many parts of the country this year. Here in Florida it arrived on October 8 with a temperature of 40 degrees on my thermometer. This was certainly an awakening that I had to get moving and get my plants ready for winter. All was ready in time and I am now enjoying my rhizomatous preparing to bloom.

This January/February issue has a very important ballot that I hope all ABS members will return. The ballot is to vote for changes in our Constitution and By-Laws. At the Annual Meeting held at San Antonio, Texas in September ABS members in attendance voted on proposed changes to the Constitution and By-Laws. The changes include the abolishment of the office of Third Vice-President and the term for which ABS Officers are elected. In accordance with the ABS Constitution and By-Laws the changes have now come before the entire ABS membership for ratification. Remember this is your Society and your vote counts. So, please vote. If there are any questions concerning the changes, feel free to contact any of the officers.

Scott Hoover will again be travelling to Indonesia on a research and collecting expedition. The ABS has sponsored Scott's trip with a \$3,000 grant. These research and collecting trips are important to our favorite plant family, Begonias, and to the ABS. If you or your branch would like to donate to this expedition you may do so through the ABS. Send your check to ABS Treasurer Carol Notaras, payable to the American Begonia Society; be sure to denote Scott Hoover Expedition on the check. Seeds will be available to donors and the ABS mem-

bership from this expedition.

I hope everyone enjoyed the November/December issue. Editor **Freda Holley** did an outstanding job of interspersing the Holiday Ads and articles. This is often a logistical nightmare and results are not always certain. Branches should be hearing from their National Directors explaining about a Holiday Contributors Page in the Begonian. The Holiday Contributors page would be in lieu of the ads. This would allow more space for articles, pictures and would allow more individuals to participate through the Holiday Contributors Page. These donations help defray costs of the Begonian.

I hope you can attend the ABS Winter Board Meeting in Atlanta, Georgia February 23-25, 2001. The Greater Atlanta Branch is hosting the Board Meeting and some great activities are planned. All ABS members are invited to attend.

Good Begonia growing.

Charles Jaros, President

Letters to the Editor

Let Us Help the Seed Fund

The September/October issue of the *Begonian* of the year 2000 lists 5 species of seed. That is it and this is a branch project. How can we save the species of begonias at this rate? Let someone else do it. I can't take the time. Who else?

Have you ever looked in the back of the *Begonian*? See the list of officers on these last 2 pages? We could have a great list of seed if each officer sent in one type of species seed. Or more. I would say that each one is growing species begonias. What an example that would be to the run of the mill membership...Help save the species is a project of ABS... ABS minutes state 1343 members and increasing membership. What do you think would happen if each member sent in a few capsules of species seed to the seed fund? They will even trade begonia seed with you in exchange for your seed.

Seed of other shade loving plants used to be listed in the Begonian seed fund. What happened to them? Did they all die?

I will donate FIFTY DOLLARS to the branch that sends in the most species seed by the May/June issue of the *Bego*nian, year 2001! It would be great to have a large amount of species seed for the Convention in DENVER.

Let us not forget the individual member that does not have a branch association. Those that contribute species seed should also receive recognition by a Certificate of Appreciation from ABS. Also, the foreign members who contribute species seed should receive a similar certificate.

Come let us grow the species begonias together to really save the species begonias!

> **Daniel Haseltine** 6950 W. Nelson St. Chicago, IL 60634-4613

Daniel, you are putting your money behind your challenge! And the certificates sound like a great idea; will you also provide those?

And from India...

My name is **Harish Sharma**. I am a keen grower of Begonias. I am growing Tuberous, Cane Stem, Semperflorens and Rex Begonia. I live in Mussoorie a hill town in the north of India. This hill town is situtated at a height of about 6500 feet above the sea level. We have summer months from April to the end of June. The monsoons set in by the end of June and continues till about the beginning of October. The brief autumn is followed by

severe winters beginning the middle of November and carries on till about the end of March. The climate during winter months stays between sub-zero to about 10 degrees Celsius. The summers are warm between 16 degrees Celsius to 32 degrees Celsius. The temperature during the rainy season, more commonly known as monsoons, stays between 15 degrees Celsius and 25 Celsius. The best season to see begonias in bloom in Mussoorie is between June last to the end of November.

In the case of Rex begonias, I have about 25 different varieties which are doing very well in the Mussoorie climate... I may further like to add here that the size of the leaves of "Elephant Ears", the common name for the silver leaved hybrid rex begonia in the enclosed photograph are bigger than the one published on page 26 of *Begonia* by Bill Wall.

In the case of tuberous begonias, I have 54 varieties at the present moment. Since two years past, I am in the process of propagating tuberous begonias with the help of seeds from my own plants. So far I have been able to produce three bicolors other than the Marmorata in the photograph...

I grow all my begonias in clay pots with 11 inches in diameter. I feel this is the best size for the hybrid varieties in our conditions. I shall write to you about the soil, manuring, after plant care, the preventive insecticides and also pesticides which I use. Should you desire me to write about the whole process, I shall indeed send you the detailed article.

Harish Sharma

AAbshaar, Pushp Vatika Estate Camel's Back Road, Mussoorie 248179

Uttar Pradesh India

E-mail: kritinf@nde.vsnl.net.in

I believe our readers would love to hear more about begonias in India! Many of us grow







Above, in his photo Joe Giangrasso's plant that lives on since 1964 through cuttings. Left, from India comes evidence that tuberous begonias can be hybridized there in this lovely example and above it the room in which they grow. Then below, a hybrid commonly called "Elephant Ears" looks very much like the species B. rex. Both were grown and photographed by Harish Sharma.



some begonias that are native to India (see below) and if you are aware of others we'd love to hear about them too!

A Begonia Collected in India

Jan Doorenbos' discussion on *B. malabarica* leaves a common begonia grower a little bewildered trying to wade through all that taxonomic history.

Enclosed are photos (see one on p. 8) of what we in South Florida call B. malabarica. The photos are from plants grown at Fairchild Tropical Garden in Miami. The plants were grown from seeds collected by Dr. Jack Fisher, Senior Research Scientist at the garden, on his expedition to Kerala State in India in April 1996. In discussion, Dr. Fisher said the plants from which the seeds were collected were growing among the rocks on a slope above a stream bed in full sun. At the time (dry season) the plants were almost leafless and in full bloom. At the garden these plants are cataloged as B. cf. malabarica. Accession #96-838.

I note that the flowers on the begonias growing in Miami have two petals.

Joyce Pridgen, Miami Branch 7331 SW 165th St. Miami, FL 33157-3800

Joyce, as I understand it the "cf." means there was some question about the identification and it looks to me like this would be one Dr. Doorenbos would identify as a form of B. dipetala, since he says the true B. malabarica male has 4 tepals and the female 3. Whatever the identification, it's a beauty!

And More on Becky Steve's Begonia

Here is another picture of the 'What's my name begonia", September-October issue, page 172. This picture (page 6) was taken about 1964 and I still have the slide of this photo. We have maintained this plant

until the present with leaf cuttings, but I have never been able to duplicate the vigor and robust shining leaves that you see in this photo. I think it was planted in compost that my father gave me from his compost pile. If memory serves me right, the plant was just over two years old and bloomed in the spring.

Joe Giangrasso 11221 Elvessa St. Oakland, CA 94605

That's a long time to keep a rhizomatous plant going, Joe! And compost has its own magic! The leaf looks a bit dark to be **Becky Steve's** begonia, but maybe that's just the light.

And, for lack of space elsewhere, an editor's note to readers expecting a shrub issue. Not only was space just not available, but I've received too few articles and photos on shrubs(but a big thanks to those who obliged); those received are being saved in the hopes they will gradually, someday, accrete to an issue!

Rob's Mini-o-lets

Specialists in African Violets & Gesneriads 7-time winner, Best New Cultivar, 6-time Best Commercial Display, National AVSA Shows

We grow Begonias too!

We offer a good selection of small-growing &mini-varieties at \$3.50 each, your choice.

10 different plants, our choice \$30 Add \$7 per order for shipping

We ship <u>anywhere (internationally)</u>, <u>anytime</u>
(ask us about winter delivery).


<u>Safe delivery guaranteed.</u>

For <u>full-color</u> catalog, send \$1

P.O. Box 696, Naples, New York 14512 www.robsviolet.com ph. 716-374-8592



Above is the begonia described in Joyce Pridgen's letter with the two tepals showing on its flowers. Below is B. 'Cajon Valley', a Winner at the SWR/ABS Get-together in San Antonio grown by Don Miller. It is a cross of B. 'Tiger Kitten'x 'Rip Van Winkle', by Maley (CA) in 1980.



Some Begonias from Costa Rica

by Rekha Morris

I had long wanted to visit the rain forests of Costa Rica so when an opportunity arose in November 1999 to do just this, I did not allow warnings regarding their rainy season still in progress to deter my resolve to visit or dampen my enthusiasm. Since our time was limited I planned trips to a rain forest, Manuel Antonio National Park along the Pacific. a trip to the cloud forests of Monteverde, and two botanical gardens, the Lankester Botanical Garden near San Jose and the Arenal Botanical Garden on the northern shore of Lake Arenal west of Monteverde and within the recently created Arenal National Park.

Our first trip was to Lankester Botanical Garden both because of its nearness to San Jose and also to familiarize myself with some of the flora of the region and to find appropriate guidebooks to the areas I had targeted. To my great regret and surprise there was a paucity of information on the flora of Costa Rica although there was much on the birds and butterflies for which this country is justly famous. Lankester Gardens was established in 1917 by Charles Lankester Wells and after this death taken over by the North American Orchid Society and the Stanley Smith Foundation (England) until 1973 when it was donated to the University of Costa Rica. It is most famous for its collection of some 700 native and non-native orchids most of which were dormant when we visited. Nevertheless, the garden's extensive collection of bromeliads, heliconias, palms and the generally rich and lush collections of tropical genera were fascinating. It was therefore startling for me to discover a set of educational displays along a path in the small rain forest preserved within the gardens showing that the once widespread rain forests of Costa Rica have been destroyed by agricultural and urban development leaving discontinuous vestiges which are currently also under threat (photos at top, page 10).

Although the drive to Manuel Antonio National Park on the Pacific coast took us through dozens of small towns. I failed to grasp the severity of destruction as the countryside was full of flowering shrubs and vines. Large lilac flowers of Bignonia grandiflora festooned trees and fences, heliconias and coastas grew in the ditches. Brunfelsias with their three shades of violet, purple and pale lilac blooms as well as brilliant red megaskopasma or Brazilian Red Cloak created colorful hedges, and ferns clamored up palm trees totally encircling their trunks with fresh green fronds, all reveling in the bounty of the rainy season. Ouite unexpectedly we drove past a rain forest preserve that was not on our itinerary, Carara Biological Preserve, 20 km. south of Orotina. It lies in a transitional climatic zone between the dry pacific northern coast and the extremely humid southern coast. We stopped to take a quick walk through this preserve, once part of the biggest hacienda in Coast Rica belonging to the Cervantes family. This decision proved momentous as it introduced me to my first exciting encounter with begonias in their natural habitat.

Approaching the entrance to the forest I noticed several large boulders covered with what I thought were ferns from a distance. Instead these were small begonias growing on the dark moist surface of the rocks intermingled with ferns. Being an avid rock gardener, I was instantly enthralled and set about taking



Above, the tropical rainforest areas of Costa Rica in 1940, and right in 1987, illustrating the loss.
Below, an unidentified rhizomatous species in Carara Biological Preserve. Photos by Rekha Morris.





The Begonian

slides so that I might try and duplicate something similar in my woodland garden in South Carolina. The further we walked the larger the begonias became and they were growing not in little colonies, but flourished in profusion among the paving stones of the path and all along its gently undulating banks. There were small, pale pink flushed white blooms on some of the larger specimens and these were no taller than some 6 or 8" high although individual leaves with serrated edges might be as long as 3 1/2".

As we moved deeper in the forest where the dense leaf canopy prevented much of the sunlight from penetrating down to the forest floor, there were fewer and fewer clusters of these begonias and finally none. As we reached a section close to the river which had been flooded earlier in the rainy season, dozens of trees which had died as a result lay scattered on the still mushy soil. In this clearing where there was more sunlight a large leafed begonia grew on a fallen tree trunk. Closer inspection revealed that it was a rhizomatous species growing on the moss covered trunk (photo left, bottom). The large palmate leaves had serrated edges varying in depth and prominently defined dark green veins. There were no flowers or seed pods and this was the only one of its kind we saw along the two trails open to the public. However, not too far from this rhizomatous begonia we came across another isolated species which seemed to be growing out of the muddy soil. In fact, it was another epiphytic species growing on the trunk of a tree almost totally submerged in the mushy soil. By some miracle the tree had fallen at such an angle as to hold the begonia rhizome a few inches above the muddy morass all around where no other plant survived (photo page 12, top). The large palmate foliage with an undulating margin was velvety in texture despite the tiny hairs and several shades darker than the previous one. Since there were no guidebooks to the flora of this biologica preserve, known best for providing some of the best opportunities for watching Costa Rican birds, I am unable to identify any of these three species we encountered there.

In Manuel Antonio National Park we came across only one species. The entrance to the park is across a section of the Rio Camaronera which after the rains was not as shallow as the guidebooks describe it to be, and all visitors that day were rowed across in small wooden boats. Although much larger than the Carara Biological Preserve, we were able to walk along only one path as many of the paths were flooded from recent rains and impassable. The single begonia species we encountered here was the same elliptical leaved form we encountered in Carara (Photo page 12, bottom). As in Carara these also grew on moist moss and fern covered rocks as well as along the slopes of the path where sufficient sunlight reached the ground. Some of these were also in bloom, but none had seed pods.

Our next stop was Monteverde Cloud Forest Biological Preserve, a 1400 meter high plateau in the Cordillera de Tilaran accessible via a rock and boulder strewn dirt road which the recent rains had made even more treacherous as landslides had gouged out large sections along the steep cliff banks. During our drive to Manuel Antonio National Park our four wheel drive Toyota had been damaged by the numerous potholes on the road obliging us to exchange it for another four wheeler before setting out on this segment of our trip. Nevertheless I wondered whether this one would survive the rough, vertiginous 35 km. tract winding steeply uphill and so difficult to negotiate that it took us 4 hours to reach our destination.

Those who survive this notoriously rugged, obstacle ridden course are destined as we were to enjoy spectacular scenes of tropi-



Above, another unidentified rhizomatous begonia species in Carara Biological Preserve. Below, still another unidentified species in the Manuel Antonio National Park. Photos by Rehka Morris.



cal verdure. Mammoth tree ferns some 30 feet or more towered above the undergrowth, vines, ferns, orchids, bromeliads and other epiphytes clamored up tree trunks as far up as we could see, and our common house plants such as peperomias, anthuriums, philodendrons, and monsteras were so colossal as to be almost unrecognizable. In this landscape of primeval luxuriance with many shades and layers of greenness, it was difficult to identify begonias mentioned in a pamphlet listing the canopy plants of the cloud forest of Monteverde which I had picked up at the entrance to the preserve. Two begonias, B. estrellensis and B. heydei, were both listed under vascular ephiphytes with no descriptions or line drawings. Another pamphlet on the common flowering plants of this cloud forest listed B. estrellensis as the most common of several epiphytic begonias and also mentioned B. involucrata [spelled as 'involuncrata'] with an "angel wing" leaf and B. cooperi whose leaf is described as being like that of an alder or elm. The accompanying line drawing is generic in nature representing a slightly wavy edged, elliptical leaf. A small booklet Epiphytes of the Monteverde Cloud Forest Reserve by S.W. Ingram, K. Ferrell-Ingram and Nalini Nadkarni lists four begonias. B. estrellensis and B. glabra are listed as climbing herbs and considered to be abundant and common respectively while B. heydei and B. strigillosa, both listed as erect herbs, are considered common and uncommon respectively. A line drawing of B. heydei is included amongst the illustrations. Being a novice Begonian, I photographed only two species which I was able to recognize as

begonias and both grew along the sunnier sections of the trail. One of these was a begonia which was shrub-like in growth with large prominently segmented leaves with darker veins. This being the closest to what I understand as an angel wing type I have tentatively identified as B. involucrata on the basis of an illustration of this species from Costa Rica in Tropica although it is not mentioned in this booklet. The second species, with elliptical foliage, serrated edges and sharply articulated veins is so similar to the line drawing of B. heydei (see cover photo) that this is what I have assumed I saw at several sunny locations along the trail in Monteverde. This might also be B. cooperi illustrated in A. B. Graf, Tropica: 160, 1978, which has a somewhat similar leaf form.

Despite the complexities of nomenclature, the paucity of information on the begonias of these areas we visited and my own ignorance of this large and varied genus, my first encounter with five species in their natural habit transformed me into a zealous neophyte. I promptly joined the Atlanta Branch of the ABS on our return from what remains in my memory as a tropical garden rather than a country whose natural environment is fast diminishing with some of its rich flora and fauna under threat of extinction.

We know the Atlanta Branch welcomes this enthusiast! You may contact Dr. Rehka Morris at 318 Woodland Dr., Pendelton, SC 19670 or E-mail: shivayana@juno.com.

THE NORTH AMERICAN LILY SOCIETY, INC.

A Society to Promote the Culture of Lilies



We would like to invite you to add the Genus Lilium to your garden--the true Lilies. Join us by sending annual dues of \$20 for 1 year or \$55 for 3 years.

Send to: Barbara Small

NALS Membership Chairperson 4234 Randhurst Way, Fair Oaks, CA 95628

For further information: www.lilies.org



Above, Best of Show and Best Species at the SWR/ ABS Get Together in San Antonio in September was B. leprosa, a species originating in China and grown to perfection by **Leora Fuentes**.

See You in Denver!

Cloudy Valley Nursery

935 W. Isabella St. Lebanon, OR 97355 (541) 258-7517 goetzk@dnc.net

Visit our web page B. 'Wanda' and virtual greenhouse at http://www.begonias.com or send for our price list today.

Mail order only.



PROPOSED AMENDMENTS TO THE CONSTITUTION AND BYLAWS OF THE AMERICAN BEGONIA SOCIETY

During the 2000 Annual Meeting of the American Begciety held in San Antonio, Texas on September 23, 2 ABS members present voted to present the following ame to the ABS Constitution and Bylaws for full membership ballot.

Proposed Amendments will be underlined and highlight

The office of Third Vice President shall be eliminated said office be deleted from the Constitution and Bylav American Begonia Society. This will require a wording to Article IV, Section 1; Article IV, Section 2 and Article tion 2 of the Constitution and Article 2, section 3 of the

Constitution

Article IV, Section 1 - the officers of this Society shall b diate Past President, President, First Vice President, Secc President, Third Vice President, Secretary and Treast director from each Branch Society, Regional Organiza Presentative of Members at Large.

Article IV, Section 2 - The following officers shall be annually in July by ballot: President, First Vice President ond Vice President, Third Vice President, Secretary a surer. Each Member of the Society is entitled to one vofficers shall serve one year and be installed at the annuing. No elected officer named in this section, except S and Treasurer may serve in the same position for more consecutive terms.

Article V, Section - The Executive Board shall or the President, First, Second and <u>Third Vice Presidents</u> tary, Treasurer and Immediate Past President.

Bylaws

Article 1, Section 3 - The Second and Third Vice Presic shall perform such duties as are assigned to them by the President.

Please Go to Page 16.

owing proposed amendment refers to the election of ficers in the constitution.

IV, Section 2 - The following officers shall be elected y in July by Ballot: President, First Vice President, Vice President, Third Vice President, Secretary and er. Each member of the Society is entitled to one vote. sers shall serve one year and be installed at the annual. No elected officer named in this section, except y and Treasurer may serve in the same position for in two consecutive terms.

Amendment

V, Section 2 - The following officers shall be elected ally in July by ballot: President, Vice President, Vice President, Vice President, Secretary and Treasurer. Each member ciety is entitled to one vote. All officers shall serve and be installed at the annual meeting. No elected amed in this section, except Secretary and Treasurer ve two consecutive terms. {Note: Should the first d change fail, this amendment will also include the ce President.}

are to be returned to the Ballot Counting Chair, g Foo, 1050 Melrose Way, Vista, CA 92083 by y 15, 2001.

Begonian Index 2000

Theme Issues

January/February: Begonia Kaleidoscopes, Part Two

March/April: Hybridizing Begonias is an Art Form and Begonia Detectives

September/October: Begonias by the Beach

Regular Features

ABS 2000 Ballot 103 ABS Awards, 2000 Recipients 179 ABS Awards, Nominations 14 ABS Election 2000 102 ABS Election 2000 Results Begonia Lost and Found 97, 160 Board Minutes 25, 104, 182 Book Store Listing 155 Coming Events 38,78, 122, 162, 202, 242 Directory of Begonia Societies 140 Editor's Notes 4, 72, 101, 153, 200 In Memory 34, 58, 62, 120, 195, 216 In the Mailbox 28, 66, 101, 160, 186, 236 Letters to the Editor 45, 84, 128, 169, 208 New Cultivars 86, 233 News 36, 76, 119, 156, 198, Officers' Page 39, 79, 123, 163, 203, 143 President's Notes 4, 44, 84, 128, 168, 208 Pronunciation Guide 34, 117, 140, 200, 213 Public Relations 16 Round Robin Notes 63, 120, 187 Seed Fund 30, 68, 112, 150, 192, 230

Show News 110 Startin' Out 52, 115, 142, 188, 219

Articles

Another Look at B. aconitifolia 95 A beginner Considers Hybridizing 91 B. 'Dragon Wings' 64 B. fischeri 139 B. glabra in the Rainforest 59 B. guttata? 98 B. luxurians on Display 12 Begonia Growing in New Zealand 134 Begonias by the Beach 70, 174 Begonias by the Beach Winners 177 Begonias in a Bag 29 Begonias Outdoors in Sacramento 58 Board Meeting in Louisiana California Day Dreaming, II Champion Grower: Arlene Hoskins 8 Contained Atmosphere Winner 191 Creating Begonias to Your Vision 93 Culture Awards 179 Denver 2001 199 Exploration of Javanese Mountains 15 Frontlines of the

Conservation Battles 10

Gondwana and Begonias 47 Growing Begonias All Year Round 53 Growing Begonias Indoors Hybridizing Begonias 89 Just Beauties 194 Lady and Her Lovers 130 Lathehouses for Every Climate 136 A Little More than Your Average Gardener 73 Mildew 54 My Favorite Begonia: B. 'Lana' 50 Poetry Winners 184 Return to Tropical World Scott Hoover's B. tenuifolia Something A Little Different Two Grand Ladies 109 Understanding Begonia Nomenclature 157, 196 Where is Scott Hoover Today 118 Winter ABS Board Meeting 238

*Indicates Photo

Contributors

Artists & Photographers

Iris Bird 83, 124, 206, 207 Tamsin Boardman 175 Janet Brown 175, 178, 184, 185 Mary Bucholtz 13, 118, 166, 167, 184, 191, 194 Eleanor Calkins 207, 244 Alice M. Clark 43 Patricia Clark 57 Jackie Davis 94, 210 Mary Fuqua 46 Kathy Goetz 43, 80 Bob Golden 205, 207 Roil Hatcher 75, 234 Ruth Hazen 210 R L Holley 12, 35, 118, 141, 152 Scott Hoover 148 Jacques Jangoux 60, 61 Charles Jaros 50, 51 Virginia Jens 70, 71 Jeanne Jones 167, 204 H. Alton Lee 3, 40 Kristin McGuire 73 H. D. McLauchlan 133 Ian McNeur 135 Midori Nobusawa 154 Joan Patterson 71 Joyce Pridgen 1, 3, 6 Doug Pridgen 107, 111, 191 Ann Salisbury 178 Bill Schneider 199 Bill Schramm 29, 126-7 Mimi Schramm 29, 126-7 Dale Sena 96, 215 Becky Steve 172 Derek Telford 119 Brad Thompson 86, 87 Wally Wagner 127, 137, 164 Peggy Wisler 109 Maxine Zinmann 12, 13 Johanna Zinn 42-3, 64, 82, 83, 98

Authors

Iris Bird 91 Carmel Browne 216 Ken Browne 216 Janet Brown 84, 169, 174 Mary Bucholtz 109 Eleanor Calkins 84 Patricia Clark 56 Andy Conely 16, 199 Mervyn Cox 53 Jackie Davis 93, 173, 211 Jan Doorenbos 170 P.T. Duffy 208 Normand Dufresne 143 Mary Fuqua 46 Jack Golding 34, 97, 117, 140, 157, 196, 200, 212 Virginia Hamann 63, 120, 186 Robert Hamm 58 Jim Hannah 52, 114, 129, 142, 188, 219 Carolyn Hawkins 110, 238 Ruth Hazen 209 Karen Hermann 209 Freda Holley 4, 8, 10, 12, 44, 64, 72 101, 107, 118, 139, 153, 154, 193, 219 W. Scott Hoover 15, 181 Jacques Jangoux 59 Charles Jaros 4, 32, 44, 50, 84, 128, 168, 171, 208 Virginia Jens 70 Carrie Karegeannes 169, 181 Tom Keepin 195 Joanne Kinzey 120 H. Alton Lee 84 Mary Ann Leer 45 Dagmar Lending 180 Cheryl Lenert 58 Michael Ludwig 14, 179 Richard Macnair 25, 104, Charles McGough 130 Kristyn McGuire 73 Ian McNeur 134 Mary Elizabeth Moultrie 5 Morris Mueller 195 Louise Muszyk 213

Carol Notaras 195 Barbara Nunes 180 Adrian Popa 45, 114 Doug Pridgen 110, 120 Gene Salisbury 86, 233 Bill Schramm 28 Mimi Schramm 28 Dale Sena 95, 214 Peter Sharp 47, 62 Howard Siebold 45 Jack Simenc 211 Becky Steve 173 Mike Stevens 54, 114 Greg Sytch 28, 66, 101, 160, 186, 236 Brad Thompson 89, 223 Wallace Wagner 136 Johanna Zinn 98

Individuals

Dean H. Allen 160 Tim Anderson 110, 111, 174, 177, 184, 194, 240 Geoff Apps 144 Ann Sophie Asplind 187 Elaine Ayers 26, 106, 187 Yoshiko Azuma 69 Donna Bailey 179 Lillian Balentine 110, 111* Matt Barlow 187 Elaine Baxter 145 Line Bellemare 233, 235 Sylvia Ben 104, 146 Betty Benningfield 26 Howard Berg 102, 104, 198 Barbara Berg 78, 156 Iris Bird 5, 30, 83, 91, 198, 107, 240 Monroe Birdsey 85 Cynthia Bishop 120, 188 Joy Blair 145 Mae Blanton 14, 120, 188 Bruce Boardman 25, 105 Tamsin Boardman 26, 105, 175 Edward W. Bok 70 Ross Bolwell 144 Sandra Bondi 25, 183

Annette Boree 30 F. Bouman 36 Evelyne Bouquet 30, 150 Janet Brown 12, 76, 85, 102, 105, 162, 167, 168, 174, 175, 176, 179, 183, 185 Carmel Browne 216 Ken Browne 216 Mary Bucholtz 4, 12, 14, 63, 105, 109, 167, 177, 183, 184, 191, 194 Kathleen Burt-Utley 95 Bob Caldwell 102, 104, 147 Eleanor Calkins 14, 25, 30, 63, 68, 69, 84, 85, 105, 117, 145, 150, 162, 183, 188, 192, 207, 220, 230 Kathlyn Calvert 45 Alphonse de Candolle 170 Alan Carle 3, 10 Agnes Cazoux 144 Alice M. Clark 43, 44, 169 Patricia Clark 57, 58, 72 Beverly Clementson 195 Bellfield R. Coalburn 145 Andy Conely 16, 26, 145, 183, 191, 199, 242 Mabel Corwin 64, 109* Ralph Corwin 109* Joan Coulat 14, 25, 128, 183, 198, 199 Mervyn Cox 53 Jacqueline Davis 30, 68, 83, 93, 145, 150, 173, 211 Ewen Donaldson 70, 174 L.J. Dorr 36 Marilyn Dube 187 P.T. Duffy 208 Normand Dufresne 143, 175* Jacie Duruisseau 30 Lucille Dyess 162 Eleanor Elston 144 Margaret Fisher 145, 175* Ingeborg Foo 69, 102, 104, 105, 128, 150, 173 Benjamin Franklin 25 Goldie Frost 156 Leora Fuentes 183, 198 Mary Fuqua 46, 70, 175*,

176 Kathy Goetz 26, 43, 146, Bob Golden 5, 198, 207 Jack Golding 34, 72, 97, 100, 117, 157, 196, 200, 211, 212, 216 Jason R. Grant 36 Esther Griffith 63, 120 Virginia Hamann 63, 120, 187-8 Robert B. Hamm 58 Jim Hannah 52, 115, 116, 129, 142, 143, 188-9, 219 Joan Hannah 52, 142, 143, 189, 219 Judy Hansen 187 Pam Hantgin 12, 26, 106, 122 Elda Haring 105 Walt Haring 105 Mona Harvey 107, 119 Daniel Haseltine 63, 146, 188, 193 Roil Hatcher 73, 74, 75, 233, 235 Leslie Hatfield 145 Carolyn Hawkins 103, 104, 110, 111*, 119, 238 Ruth Hazen 209 Peter Henderson 144 Loma Herchenson 144 Karen Hermann 209 Eleanor Heslin 174 Joyce Hesse 145 Tan Jiew Hoe (John Tan) 11 Freda Holley 4, 76, 104, 110, 120, 139, 152, 180, 182, 216 Maria Holmes 213 W. Scott Hoover 15, 16, 26, 98, 99, 106,118*, 148, 169, 170, 175*, 176, 181, 183 Arlene Hoskins 3, 8, 9, 35, 104, 182 John Howell 7, 189 Beatrice Huckriede 112, Arlene Ingles 4, 25, 26, 76,

101, 198, 182

John Ingles, Jr. 26 E. Irmscher 100 Vickie Jackson 63 Jacques Jangoux 59, 62 Charles Jaros 4, 26, 38, 44, 50, 51, 70, 72, 84, 97, 102-5, 119, 128, 168, 174, 176, 177, 179, 182, 183-5, 198, 208, 240 Myrnie Jennings 38, 78, 144 Virginia Jens 43, 70, 71, 78, 146, 167-8, 174, 177, 183, 214 Martin Johnson 31 Wally Jones 174 Jeanne Jones 88, 145, 167, 174 Gene Joyner 174 Marvin Kahr 187 Adena Kalal 25 Carrie Karegeannes 36, 70, 98, 100, 147, 169, 176, 181-2, 211, 220 Michael Kartuz 173 Janice Keck 120 Tom Keepin 45, 102, 104, 147, 195 Virginia Kettler 195, 197 Joanne Kinzev 120 Johanna Kitson 71 Houston Knight 156 Bob Koehler 36, 57 Louise Korobokin 76 Marty Korobkin 76 Kimberlee Kortenbach 110 Jack Krempin 216 Lois Kruger 120 Carl Laipple 26, 122 Shirley Lancaster 144 A. de Lange 36 Karen Lawrence 146, 182, 240 Diana Lawrey 193 H. Alton Lee 3, 84, 85, 93, 106, 183 Margaret Lee 109, 145 Paul Lee 50 Paula Lee 85 Mary Ann Leer 45 Dagmar Lending 180

Cheryl Lenert 26, 105, 155, 183, 195, 197 Lulu Leonard 195 Paul Lowe 97 Michael Ludwig 14, 30, 76, 109*, 179, 182 Maurine Lunsford 105, 122, 179 Pauline Ma 177 Richard Macnair 26, 103, 104, 106, 175*, 184, 198 Wanda Macnair 97, 146, 175* Dot Mann 30 Barry Mann 30, 69 Michael Marino 214, 216 Byron Martin 171 Tovah Martin 36 Joy Logee Martin 36, 171 Rodolfo Vasquez Martinez 59 Mary McClelland 63 Charles McGough 130, 171 Gail McGregor 195 Kristyn McGuire 73, 74 Betty McLauchlan 34 Hugh McLauchlan 34, 70, 132, 176 Tracy McLellan 45 Ian McNeur 127, 134 Julia Meister 120 Mary Miller 76 Don Miller 99, 100, 106, 128, 183 Nancy Mirgon 106, 128, 156, 183, 198 Cynthia Moran 4, 32 Eddie Moultrie 5 Mary Elizabeth Moultrie 5, 7, 26, 85, 146 Kit Jeans Mounger 14, 26 Morris Mueller 25, 102, 104, 145, 183, 195, 198 Hal Muller 195 Sue Muller 195 Elizabeth Muth 162, 198 Louise Muzyk 213 Colin Nicklin 144 Midori Nobusawa 30, 68, 154 Armando Nodal 110

Darsey Nodal 110 Carol Notaras 14, 16, 25, 26, 103, 104, 182, 195, 198 Barbara Nunes 180 Irene Nuss 14, 30, 112 Thelma O'Reilly 26, 30, 100, 106, 112, 139, 171, 220 Ramona Parker 146 Kelton Parker 26 Joan Patterson 71, 174 Peggy Payne 187 Sara Jane Pearman 146 Bruce Pearson 214, 216 Walter Pease 5 Ruth Pease 5, 36, 213 Phyllis Podren 112 Adrian Popa 46, 114 Doug Pridgen 107, 110, 111, 129, 191 Joyce Pridgen 3, 4, 50, 51*, 107, 110, 111, 128, 174, 177-9, 185 Lindy Ranger 233, 235 John Ray 95 Opal Reck 147 Elda Regimbal 7, 12, 88 Dorcas Resleff 187 Russ Richardson 110 E. Paul Riviere 145 Mary Sakamoto 26, 88, 145, 175*, 179 Ann Salisbury 14, 15, 26, 104, 105, 106, 146, 179, 182, 183 Gene Salisbury 14, 15, 26, 44, 76, 86, 105, 106, 122, 129, 146, 152, 182, 183, 233 Bill Schneider 177, 191 Lois Schneyer 187 Bill Schramm 29, 127 Mimi Schramm 29, 127 Melba Schultz 147 Sol Schwartz 146 Nan Scoble 177 Dale Sena 83, 95, 106, 128, 146, 183,215 Peter Sharp 47, 48, 62

Yvonne Shelley 110

Barry Shepherd 198 Hiroshi Shigemi 34 Charles Sibley 110 Howard Siebold 14, 45, 76, 233 Jack Simenc 211 Lyman Smith 36 Stephen F. Smith 36 Helen Spiers 102, 104, 145, 147, 198 Becky Steve 173, 208-9 Mike Stevens 54, 114, 144 Estelle Sullivan 147 Pearl Swatzek 173 Susan Swenson 240 Mildred Swyka 187 Greg Sytch 28, 30, 36, 66, 67, 101, 160, 174, 178-9, 182, 186, 236 Mark Tebbitt 240 Derek Telford 119 Brad Thompson 5, 26, 30, 83, 86-9, 129, 180, 183, 223, 226 Millie Thompson 26, 105 Paul Tsamtsis 25, 183 Clara Tuoto 187 Brook Turner 144, 193 Naoyuki Uemura 145 Wally Wagner 127, 136-8, 153 Madame Walska 5 Dieter C. Wasshousen 36 Campbell Watts 187 Mary Weinberg 30 Vera Wells 110 Robert White 170 Mary E. White 49 Jean Whitter 144 Harry Wirindinata 15 Patrick Worley 64 James Yeadon 240 Vanessa Young 146 Rudy Ziesenhenne 3, 26, 83, 118*, 145 Maxine Zinman 12, 105 Johanna Zinn 43, 64, 83, 98, 100, 211

Begonias

Hybrids

Aaron Kettler 197 Airy Fairy 6* Alto Scharff 187 Amelia Hamilton 233, 234* Anna Christine 197 Argenteo-guttata 132 Arthur Mallet 132 Astro's Pride 197 Avalanche 55, 177, 179, 185* Aya 8, 35* Begonia Nut 197 Benitochiba 177, 179 Boomer 110, 120, 177, 178*, 179, 187 Burle Marx 3 Cachuma 132 Calico Kew 171, 208 Careless Whisper 174, 178* Caribbean Corsair 218* Caribbean King 218* Caribbean Prince 240, 164* (labeled paleata in error) Cathedral 8, 9 Cathedral Windows 8 Charles Jaros 58, 89 Charm 132 Chiba 160 Christmas Candy 64, 109, 156, 187, 208 Chuck Jaros 120 Cleopatra 134 Connee Boswell 177, 179, 185*, 240 Corinthian 58 Crestabruchii 132 Cubinfo 110 Culture Class 6* Curly Stormy Night 90 Dale Sena 218* Dan Leitko 197 Dancing Birds 90 Dancing Girl 187 Darlene Morris 197 De Ann 187 Dewdrop 28

Double Yam 218* Dovecot 140* Dracula 120 Dragon Wings 64*, 156, 177 Encanto Lana 50 Erythrophylla 43*, 120, 187 Flamingo Queen 130 Fountain of Youth 110 Frances Hunter 97 Fred Benson 90 Freddie 7 Frieda Grant 83 Gene Daniels 83, 124* Gilligan's Island 179 Glamour 31 Green Acres 56-7* Happy New Year 208 Harbor Lights 194*, 240 Helen Teupel 28, 179 Helene Jaros 97 Immense 208 Irene Nuss 91 Jeanne Jones 87*, 88, 129 Jenny Barclay 119* Jill Adair 3 Joy 196 Joyce Leitko 197 Julieta 218* Jumbo Jet 7, 86, 88 Kissimmee 67 Kristy 109 Lady Lynn 110 Lalomie 177, 179, 184* Lana 50*-1*, 120, 174 Lenore Olivier 8, 9 Little Brother Montgomery Little Red Wagon 218* Lois Burks 9 Looking Glass 231* Lotusland 7 Lou Anne 55 Lulu Leonard 197 Lyndybelle 233, 234* Magdaline Madsen 120 Marmaduke 187 Mary Keepin 197 Mary Sakamoto 180 Medora 9, 177, 179 Mem. Bernice Ryan 218* Merinda 197

Merry Christmas 208 Midnight Sun 3, 40* Miss Heather 197 Miss Janet 197 Morocco 177 Mrs. Elizabeth McLauchlan Mrs. Hashimoto 187 Nokomis 109 Olympic Queen 179, 184* Opal Hawkins 197 Opaline 132 Orange Rubra 71*, 88, 89, Orocco 110 Osoto 109 Palomar Prince 110 Paul Hernandez 179 Persian Brocade 120 Phil Corwin 8, 9 Pin Up 211 Pinafore 187 Pink Jade 58, 120 Pink Nacre 132 Pink Rubra 187 Pollux 191* Purple Curl 179 Queen of Hanover 160 Ravishing 197 Red Planet 197 Red Spider 197 Red Spot 197 Richmondensis 156 Rolling Thunder 218* Rosina Hatcher 234*, 235 Rudy 132 Rudy's Luxurians 2*,3 Salmon Rubra 197 Sassy 197 Sassy's Mate 197 Scottish Star 196 Shadow Box 8 Shasta 58 Silver Dollar 179 Silver Shadows 218* Silvermist 120 Simple Simon 218* Sinbad 8, 110 Sophie Cecile 63, 88, 132 Spiderman 218* Squaw Talk 197

Don Case 87*, 88

Starfrost 132 Steve Hurd 197 Stormy Night 90 Strawberry 218* Streaky Jeans 110 Sugar Candy 134, 135* Suncana 129, 177, 179 Sweet Caroline 197 Sylvan Triumph 120 Tequesta 120 Tiny Gem 195 Tom Tom 218* Torch 187 Vera Wells 110 Victoria Woods 179 Virginia Jens 179 Vivian Hill 86* Vodka 196 Wanda 91 Whiskey 130 Whisper 197 White Ice 130, 221* Wild Pony 179 Wimauma 67

Species

acaulis 140, 157 acida 132, 140 aconitifolia 83, 95, 96*, 97, 117, 132,177, 179, 200 acutifolia 140 albo picta 177, 200 angularis 34 arborescens var. oxyphylla 36 attenuata (see lanceolata) barkeri 206*, 207 boliviensis 30, 34, 93, 117 boucheana 140, 159 bowerae var. nigramarga 140 cacauicola 36 cameroonensis 140, 157 cardiocarpa 34 carolineifolia 213, 214 chloroneura 76, 117 chlorosticta 132, 140, 171, 200 ciliobracteata 140, 157

conchifolia var. rubrimacula 69, 117, 197, 200 convolvulacea 31, 34, 117 corallina 213, 230, 232 crassicaulis 112, 117 cubensis var. lindeniana 69, cucullata 30, 34, 140 cucullata var. arensicola 30, deliciosa 58, 177, 192, 193 dielsiana (see ciliobracteata) dietrichiana 140, 150-1 dipetala 155, 170, 187, 193, 200, 117, 213, 230, 232 dregei 55, 110, 117, 173, 177, 200, 213, 232 dregei 'Glasgow' 6, 200 dregei var. macbethii 69, 213, 230, 232 dregei var. natalensis 213, 230, 232 edmundoi 173 egregia 154, 174, 179, 193, elaeagnifolia (see longipetiolata) eminii 140, 143 epipsila 112, 117 europhylla 36 fallax 170 fischeri 139, 140, 141* fischeri 139, 14-1*, 209, 210*, 211, 213 fischeri var. tovarensis 140 foliosa 132, 140, 150-151, 179, 193, 200 formosana 58, 117 fuchsioides 140 fusca 34 gehrtii 89, 117, 140, 151, 153 geniculta 30, 34 glabra 59, 60*, 61*, 117 glabra var. cordifolia 213, 230, 232 glandulosa 140, 151 goegoensis 171, 200 gracilis var. martiana 55, 117

grandis ssp. evansiana 69, 94*, 117, 140, 176, 180, 181, 200 guttata 81*, 83, 98*, 99, 100, 117 handelii 34 hatacoa 140, 153 heracelifolia 34, 187, 200, 214, 215* heracleifolia var. nigricans 140, 151 herbacea 188 Hillebrandia sandwicensis 240 hirtella 69, 117 hookeriana (see ciliobracteata) hydrocotylifolia 196, 200 hypolipara (see sericoneura) incana (see peltata) isoptera 31, 34 jamaicensis 112, 117 johnstonii 69, 117 kellermanii 213, 230, 232 kuhlmanii 213, 230, 232 lanceolata 179, 200 leathermaniae 112, 117, 140, 212, 220 lindleyana 200, 213, 230, 232 lindleyanum 170 longipetiolata 140, 159 lubbersii 132, 140 luxurians 3, 12*, 13*, 30, 46*, 89, 117, 132, 140 macdougallii (see theimii) maculata 69, 117 malabarica 117, 120, 140, 155, 170, 192, 200 manicata 196, 200, 211, 213 masoniana 34, 110, 132, 207, 244* matogrossensis 36 mattos-silvae 36 microsperma 188 mollicaulis 69, 112, 117, 120, 140 morelii 188, 200 multinervia 213, 232 natalensis (see dregei) naumoniensis 213, 232

nelumbiifolia 31, 34, 167, 200, 204*, 213, 214 neopururea 112, 117 opuliflora 34, 143, 151 oxyphylla (see arborescens var. oxyphylla) paleata (165* in error, see hybrid 'Caribbean Prince') partita (see dregei) parviflora 117, 118 parvifolia 213, 232 paulensis 89 pearcei 34 pedatifida 31, 34 peltata (syn. incana) 31, 34, 45, 117, 169, 200, 213, 232 phoeniogramma 117 pinetorum 34 pinheironis 36 pluvialis 36 polygonifolia var. differns polygonoides 199, 200 prismatocarpa 34 pseudo-lubbersii 132

purpurea (see jamaicensis and neopurpea) quadriolocularis (see egregia) rajah 89, 117 120, 177, 200 raynaliorum (see ciliobracteata) rockii 34 roezlii 44 rubropilosa 213, 232 russelliana 36 scabrida 34 sceptrum (see aconitifolia) scharffii 143 schmidtiana 112, 117 schmidtiana 143 scutulum 158 sericoneura 43, 80*, 117, 213, 230, 232 serranegrae 36 sharpeana 31, 34 solananthera 192, 193, 200 soli-mutata 111*, 117, 143, 153, 179, 187 Sphenanthera 169 staudtii 63, 117 subvillosa 143

sunorchis 34 sutherlandii 6, 55 tenuifolia 107* (identification incorrect, see 128-9), 143, 148* (identifcation?, see 169), 169, 200 thiemei 57, 112, 117, 212, 230, 232 tomentosa 28, 34 U010 177, 179 U014 64 U192 187 U304 112 U331 192, 193 U332 112 U333 112 U340 153-4* U388 (error, see U400) U400 179* (not U388 as stated), 240 ulmifolia 34, 143, 152-4* venosa 19, 112, 117, 193, 200 versicolor 69, 117, 120, 213 windischii 36 wollnyi 192, 193, 200

Join the Southwest Region/ABS

suffructicosa (see dregei)

- . You must be a member of ABS, but do not have to live in the Southwest.
- . You will receive the 12 page Begonia Leaflet in alternate months with the Begonian complete with a color photo by Don Miller and full of information on begonia species and hybrids. Edited by former Begonian editor Tamsin Boardman.

Individual \$10; Family \$15; Commercial \$25; Branch \$10; Foreign \$15 Send check made payable to SWR/ABS to:

Clarice James, 5513 Manor Road, Austin, TX 78723-4705



The Association for plant & flower people who grow in hobby greenhouses and windows!

Quarterly Magazine Growing & Maintenance Help & Advice Dues: USA \$19 (Canada and Mexico \$21 -- Overseas \$22, US. funds/MO) Sample magazine \$3.50, Directory of Greenhouse Manufacturers \$2.50

Hobby Greenhouse Association (non-profit) 8 Glen Terrace, Bedford, MA 01730-2048

Clayton M. Kelly Seed Fund Listing

The Margaret Lee Branch, San Diego County, CA Eleanor L. Calkins, Seed Fund Administrator

The seed fund is a service to members only. It is a privilege of your membership.

DISCLAIMER: The seeds distributed by the Seed Fund are identified as received from the donors. The Seed Fund cannot guaranteee that the identification is correct. When you find that seeds received from the Seed Fund do not develop into the plant expected, please notify the Seed Fund so that a warning can be published for others who may have received seeds from the same batch. Each offering is identified by a code to be used whenever writing to the Seed Fund about seeds. The descriptions published are from the literature and apply to the name used for the offerings.

The Seed Fund needs donations of seeds. Seeds may be traded for seeds offered in the Seed Fund Listings. Unlisted seeds from earlier offers may be available in small quantities. If you have a special need ask the Seed Fund Administrator. The need for new seed to distribute is becoming acute. Please pollinate your species begonias with pollen from other plants of the same species and contribute (or exchange) to the seed fund. The Seed Fund needs enough seed for 25 packets.

Most packets of species seeds are \$1.50 each and all packets of hybrid (including open pollinated) seeds are 50 cents each. Very rare seed and newly collected seed will be \$2.00 or more per packet. California residents please add 7.75% sales tax.

All orders must be accompanied by check or money order payable in US funds ONLY to the Clayton M. Kelly Seed Fund.

Costs of mailing:

US only: 1-12 packets \$1; 13-24, \$1.35; 25-36, \$1.71; 37-48 (2 cans), \$2.30; 49-60, 2.66.

Canada only: 1-12 packets, \$1.10; 13-24, \$1.46; 25-36, \$1.82; 37-48 (2 cans), \$2.35; 49-60, \$2.71.

Mexico only: 1-12 packets, \$1.15; 13-24, \$1.51; 25-36, \$1.87; 37-48 (2 cans), \$2.50; 49-60, \$2.81.

All other international mail: 1-12 packets, \$1.85; 13-24, \$2.68; 25-36, \$3.68; 37-48, \$4.68: 49-60, \$5.68

Please send your order with payment to:

AMERICAN BEGONIA SOCIETY CLAYTON M. KELLY SEED FUND

Eleanor L. Calkins, Coordinator 910 Fern Street Escondido, CA 92027

The CLAYTON M. KELLY SEED FUND is a project of the Margaret Lee Branch of the ABS in San Diego County, California.

Seed donors this issue were: Roberto Brin, Chiara Seccovini, Jackie Davis, Beatrice Huckriede, *Eleanor Caulkins*, and Evelyn Bouquet.

Seed List

JF01-01: B. cinnabarina

JF01-02: B. coccinea

JF01-03: B. fissistyla

JF01-04: B. kenworthyae

JF01-05: B. mollicaulis

JF01-06: B. nelumbiifolia

JF01-07: B. plebeja

JF01-08: B. ravenii

Descriptions were not available by the closing date for this issue; they will appear in the next issue.

Corrections: Please note that in all its appearances in last issue's listing, the correct spelling is B. dregei.

Begonias plus 1500 fragrant & flowering tropicals
Color Catalog \$4.95
LOGEE'S GREENHOUSES
141 North Street
Danielson, CT 06239
888-330-8038 (toll free)

Begonia Cuttings and Plants Send \$2.00 for 2001 list

Kay's Greenhouses

207 W. Southcross Blvd. San Antonio, TX 78221-1155

LOS ANGELES INTERNATIONAL FERN SOCIETY

INVITES YOU TO JOIN

GROW HARDY AND TROPICAL FERNS
MEMBERSHIP INCLUDES:
SUBSCRIPTION TO THE LAIFS JOURNAL
(6 ISSUES) WITH FERN LESSONS,
SPORE STORE, BOOK STORE, SUPPLY
STORE, LENDING LIBRARY, GENERAL
MEETINGS

HAVE LARGE PLANT TABLES
DOWNEY STUDY GROUP
SOUTH COAST STUDY GROUP
PLEASE SEND YOUR CHECK OR MONEY
ORDER OF \$20.00 OR \$24.00 FOR
FIRST CLASS TO:

LOS ANGELES INT'L FERN SOCIETY P.O. BOX 90943 PASADENA, CA 91109-0943

Join the National Fuchsia Society

MEMBERSHIP \$15 per year includes bimonthly FUCHSIA FAN. The new A to Z on Fuchsias abridged version \$6.95 plus \$1 shipping (CA residents add \$.42 tax.) Mail to: National Fuchsia Society, 11507 E. 187 St., Artesia CA 90701

LAURAY of SALISBURY

Begonias, Gesneriads, Orchids Cacti & Succulents 432 Undermountain Road, Rt. 41 Salisbury, CT 06068-1102 Call ahead (860) 435-2263 2000-01 Catalog \$2.00 http://www.Lauray.com

GESNERIAD CORRESPONDENCE CLUB

RON & LOIS KRUGER, EDITORS

207 WYCOFF WAY WEST,
EAST BRUNSWICK NJ 08816
Membership \$6.75 US; \$8.75 Canada; \$14
Foreign; (all payable US funds to
Gesneriad Correspondence Club)
includes a bi-monthly newsletter; seed & tuber
funds, round robins; listing of pen pals
with various plant interests.

CELEBRATING 16 YEARS OF PLANT FRIENDSHIPS

THE AMERICAN IVY SOCIETYING

AIS is the International Registration Authority for Hedera, provides sources for new and unusual ivies: publishes three ivy newsletters, *Between the Vines*, and one *IVY Journal* a year with reports on research

hardiness testing, life-sized photos of ivies. Each member also reives an ivy plant. Membership: General \$20; Institutional \$30; Commercial \$50.

Information: American Ivy Society, P.O. Box 2123, Naples, FL 34106-2123

Pacific Horticulture

a quarterly journal about plants and gardens of the West
PUBLISHED BY THE NON-PROFIT PACIFIC HORTICULTURE FOUNDATION
MAKES A FINE GIFT FOR GARDENERS!
SUBSCRIPTIONS ARE \$20/YEAR USA, \$23/YEAR CANADA AND MEXICO, \$25/YEAR OTHER COUNTRIES
SEND CHECK, VISA OR MASTER CARD TO:

PHF, Box 485, BERKELEY CA 94701-0485

American Begonia Society Minutes of Board Meeting September 23, 2000, San Antonio, TX

3. Treasurer Carol Notaras presented the financial report for the period 4/22 to 7/31/2000. Combined general account balances were \$9763.43 initial and \$7100.86 final. Savings accounts initial balance was \$68,113.26 and ending balance was \$70,866.56 while combined checking and savings account balances were \$77,876.69 initial and \$77,967.44 final. 4. Membership totals in August were 1364 members, 90 institutions, 56 life members, 52 second family members, 102 foreign members, 15 new members, 2 late rejoiners and 37 nonrenewals. Sources of members for the three-month period were 27 from branches, 10 former members, 3 from friends, 23 from the internet, 5 from 7 Reasons, 2 from magazines, 1 from the Begonian and 1 from Hobby Greenhouse. 5. A proposal to convert the Begonian holiday greetings to a single page listing donors was proposed; this will be voted on by branches. 6. Michael Ludwig was reappointed Awards Chair. 10. Applications for insurance for branch activities by a company willing to provide liability insurance are available from Business Manager Gene Salisbury. 11. A study is to be made on how to revise the MAL newsletter to make it more cost effective and self-supporting. 19. Janet Brown and Tamsin Boardman were appointed to the Publications Committee. 20. Slide Librarian Charles Jaros reported that slides from the Los Angeles Convention are available. Motions were made to change the terms of office of all ABS officers from one to two years and to eleminate the office of 3rd Vice President. 26. A motion made to provide Jack Golding with an honrary life membership was seconded and approved

by the board. 28. Carolyn Hawkins invited everyone to attend the winter board meeting in Atlanta, GA. President Jaros announced the appointment of a Nominating Committee for 2001 elections: Ann Salisbury, Chair, Joan Coulat, and Johanna Zinn.

Minutes of Annual Business Meeting September 23, 2000, San Antonio, TX

2. Treasurer Carol Notaras report the general fund total income was \$72,236.97 while disbursement was \$91,664.43, but the latter included more than \$25,000 in transfers to savings. Combined savings accounts initial balance was \$38,375.68 while the ending balance was \$71,010.05. Combined checking and savings totals were \$65,297.91 initial and \$78,110.91. The large increase in funds was due largely to reporting on two conventions in one year, one of which, the LA convention brought in \$21,000. 3 & 4. The recommendation to eliminate the position of Third Vice President and a proposal to change the terms of office of all officers were approved and will appear for a vote by the entire ABS membership. 6. Scott Hoover spoke of his next proposed collecting trip to Indonesia in 2001 and a motion to donate \$3000 was approved. 9. A motion to appoint a committee to be chaired by a Vice President to study research propposals that come before ABS with the current research director to be a member of the committee was made and approved.

Richard N. Macnair, Secretary

These minutes have been severely edited and condensed for reasons of space. Many other important matters, appointments, and reports were made. Complete minutes are available from Richard Macnair at 177 Hancock Street, Cambridge, MA 02139. Please include a stamped, self-addressed envelop when requesting these.



Another winner at the SWR/ABS show in September was the very lovely begonia above with a familiar name, B. 'Lonesome Dove'. North Haven Gardens exhibited this Naron Stewart (Tx) cross of B. 'Silvermist'x 'Pinafore Sport'. Two views below of the addition to the "Rhizomatous at or below, with upright stems" is U358 brought back from Malaysia by Don Miller and grown for this show by John Howell.. The inset photo captures its leaves' rich red underside.



In the Mailbox by Greg Sytch

Topics come and topics go. Lately, there is no pattern to the questions that have come my way.

Q: I recently purchased a new angelwing from the nursery, and when I brought it home, in two weeks it dropped some bottom leaves. I hope the plant is okay. Any suggestions? Minnesota

A: New plants purchased have often been greenhouse grown. Since you brought the plant into your home, it is simply adjusting as any new plant would do. Angelwings, or canelikes, enjoy bright light, dry soil between watering, and fertilizer once per month. If the leaves continue to drop, chances are the soil is too wet. Allow the soil to dry out well. Come late spring, you can summer your plant outdoors, and bring it in come fall. Good luck!

I often receive questions on tuberous begonia care, and living in Florida, it is difficult for me to help because we do not have success here. Florida is much too hot for tuberous, so my experience growing them is quite limited. However, **Mike Stevens** of New Zealand has graciously offered to help me with this area. You can contact me by email, phone, or letter and I will forward the question on to him. He will either answer you directly, or send the advice to me to pass on. Mike's e-mail address is m.i.stevens@xtra.co.nz.

As always feel free to contact me at (727) 841-9618, e-mail at gsytch@cs.com or write to 6329 Alaska Avenue, New Port Richey, FL 34653. Now, it is time to get ready for the upcoming spring season, so watch your begonias explode in growth!

Good growing!

Greg



Somewhere along the line you'll want to make a new plant from one you already have.

Perhaps the old plant has grown too large and leggy or maybe you want to share a plant you particularly like with a friend. Happily, many types of begonias are easy to propagate by vegetative methods. This is quite different from growing new plants from seed. I'll cover two types, cane-like and Rex begonia, below. But first a little bit of background is worth adding.

Begonias, like most plants, can be grouped in many ways. One is to divide them into species and hybrids. A species begonia is identical to begonias growing in the wild. Plant seeds from species begonias pollinated by the same species and you'll get a carbon copy of the original almost every time. There may be some slight variation from plant to plant -- a very small shift in flower tint, for example -- but it will be minor. Hybrids, on the other hand are plants with more than one species, sometimes many, in their parentage. Plant seeds from hybrids and the resulting plants will not all be the same. In some instances they will be quite different from their parents and each other.

So...how do you make a carbon copy of a hybrid? You use a piece of the plant itself and coax it into growing roots and forming a new plant. You can use the same methods on species begonias too, of course. Let's start with a method for making new cane-like begonias from existing plants.

The begonias called 'cane-like' are among the very easiest to propagate. All you need is a glass or cup of water, a razor blade, or very sharp knife, and a well-lit spot out of direct sunlight. For lighting, we use a simple fluorescent 'shop light' with 40 watt tubes set a few inches above the cuttings. A bright window works just as well. Just avoid direct sunlight.

Select a growing cane tip which includes 4 or 5 leaf nodes. Cut it off on an angle about a half inch below the 4th or 5th node. Then remove all but the two top leaves. Place the cutting in a glass or cup of water so that the lower leaf-free nodes are under water. If you wish, you can cut another section from the same cane. Again, cut off the lower leaves. The cutting will develop a new growing tip at the point where the top leaf joins the stem.

Can't find a good section with 4 leaf



Space in this issue is too limited to describe the lovely show and great sale experienced by those attending the SWR/ABS Get-Together in San Antonio (Read all about it in the SWR's Begonia Leaflet), but here are two more plants from the show. Above, B. 'Passing Storm', a Logee's hybrid, reaping a cultural award for grower Lucille Dyess while B. 'Audrey Brenda' brought her a Division award. This cane is a cross of B. 'Margaritacea' x 'Lily of the valley' by Orihata of Japan in 1972. Photo is by Midori Nobusawa.



nodes? Don't despair. You can get away with 3 or even 1 node section cuttings. Just be sure that there's a leaf on the top node and that the lower nodes are under water.

The cuttings should be given at least 12 hours of light a day. Check the cuttings every few days. Add water as needed to keep the lower nodes submerged. The first sign of something happening will be the appearance of little white dots on the underwater portion of the stem. These will become the roots of the new plant.

Pot up the cutting when the roots have grown to about a half inch long. The roots are tender. Be very gentle as you fill the container with soil. Any good potting soil will do. Pot the cutting as deep in the soil as it was in the water. Watering with dilute fertilizer will help offset the shock of transplanting. Finally, treat the new plant just as you did the parent. That's all there is to it.

Rexes are next. These are peculiar rascals with unbelievably mixed-up parentage. We love them. If you like surprises, just grow Rexes from seed. To make a Rex copy all you need is a leaf, a razor blade or very sharp knife, a cheap plastic sprayer for misting and a cleartop container at least 4 inches deep containing an inch of damp horticultural vermiculite.

A Rex leaf has several main veins. Starting from the point where the stem joins the leaf, cut the leaf into wedge-shaped sections so that each section contains a main vein running up the center and the smaller veins which lead to it. You'll get three or four cuttings from a good healthy leaf.

Make a slot in the vermiculite for each wedge with a knife blade or spoon handle. Place the wedge in the slot with the point which joined the original stem at the bottom. We position them so that the wedge slants back at a 45 degree angle, but this isn't critical. Gently firm the vermiculite around the wedge to hold it in place. Mist the wedges and put the cover on the container. Provide light as noted above for the cane-like cuttings. We mist the wedges every few days, but I don't know if it's really necessary.

Be patient. Cane cuttings will start to show the characteristic rootlet dots in a week or so. Rex leaf wedges, on the other hand, may take months before they start producing the first few new leaves which signal the development of a new plant. The wedges normally start growing roots in a few weeks, but the leaves can take a long time. When the wedges have grown leaves of a least the size of a dime, they are ready for transplanting.

The plantlets are fragile. Be careful not to break off the roots or leaves. Carefully lift them from the container, remove as much of the vermiculite as possible, and pot up using any good potting soil. Remember that these new plants have been growing in 100% humidity. You'll want to put the pots into clear plastic bags at first and then gradually open and lower the plastic over a couple of weeks. This will allow the plants to adapt to your normal growing conditions.

Incidentally, some hybrids are patented. The originator who develops a hybrid can protect his hard work by patenting the plant. If you are thinking of selling the plants you propagate, be sure they aren't patented. You can get into legal trouble selling vegetatively propagated patented plants.

We'll continue with new plants from old next time.

Jim & Joan Hannah, growing and enjoying begonias at 158 Fisher Avenue, Staten Island, N.Y., NY and E-mail at jrh158@aol.com.

Web Sites

As most of you know, ABS has its own Web Site www.begonias.org and Branches can now upload their own information about meetings and so forth. In addition, however, some Branches are now developing their own Web Sites. Among those is Houston's Astro Branch which you can visit at http://absastro.tripod.com. This site recently added a collection of photos taken at the September SWR show in San Antonio by Bill Claybaugh who is developing this sight and has done a really great job. Visit!


There are many other sites out there of interest to begonia growers. **Greg Sytch**, our Horticultural Correspondent can point you to many of them.

Denver in 2001!

Of course, you'll want to come to Denver on July 4-8, 2001. And don't forget to be there the day before for the pre-convention tour and plan to stay an extra day for the post-convention tour. Remember to plan for taking an extra box home - the Denver folks are gathering sale plants from far and wide. But, you may also be the lucky ABS member who takes home the ABS Doll 'Suzanne' created just for us by Helene Jaros! See and read about this beauty below.

The meeting will be at the Embassy Suites and room rates will be \$120 per night; but remember we get breakfast and an evening food and beverage reception included in that cost. You will recall that these have been great hotels for interaction and discussions of our favorite plants! Don't miss it; be there.

Doll maker and ABS Member Helen Jaros has made a 24" porcelain doll, "Suzanne", for the ABS Convention to be held in Denver. Suzanne's dress is designed by renowned dress designer Marva Newberry and is made from the beautiful silk parrios brought by ABS Member Tan Jiew Hoe from Singapore to the West Palm Beach Convention. The fabric designed with begonias was created especially for ABS. Suzanne is also wearing begonia earrings! Helene Jaros has been creating dolls at Jackie Russell's doll studio in Sanford, Florida since 1985. Be sure to be there for the possibility of taking home this beauty!.



New Cultivars

Official International Registrations 978-982 Gene Salisbury, Nomenclature Director

Applications to register *Begonia* cultivars may be obtained from Gene Salisbury, P.O. Box 452, Tonkawa, OK 74653. Forms must be typed or printed in ink and accompanied by a \$2 check payable to the American Begonia Society. Clear photos for publication in the *Begonian*, drawings and dried specimens are requested. ABS is the International Registration Authority for Begonia cultivar names. In the listing of cultivar parents below, the female (seed) parent is given first.

Begonia 'Euphrates'
No. 978 Begonia ('Cleopatra' x ['Bowkit' x carrieae]) 'Euphrates'

This Rhizomatous hybrid has a creeping rhizome. Leaves are bright green with brown markings and a double spiral. They are obtuse, 5" wide x 5" long. Margin is lobed, scalloped, undulate, sparsely hairy. Surface is bare. There are 22 main veins; petioles are 3", green with red specks and sparse hairs. Stipules are 1/2" x 1/2", green. Flowers are pink with red specks; ovaries are green and pink. Tepals are rounded with red specks. Male and female flowers are 1" with two tepals. Flower peduncle is 5". There are many bloom clusters in spring.

This plant is very compact and full growing, resembles neither parent, but blends best aspects of both. Double spiral is very consistent as are the brown leaf edge markings. It is easy to grow and always grows into a shapely plant.

Developed in 1991 by Brad Thompson, 2436 W. Lomita Blvd. #l, Lomita, CA 90717. It first bloomed in 1993 and was first distributed that same year. It has been tested by Iris Bird, 20739-2 Lycoming St., Walnut, CA 91789 and Mary Sakamoto, 6847 E. Sycamore Glen, Orange, CA 92869. It is available from Cloudy Valley Nursery, 935 W. Isabella St., Lebanan, OR 97355. Registered October 23, 2000. Photo, p. 33.

Begonia 'Little Miss Mummey' No. 979 Begonia (B. 'Jumbo Jet' x B. 'Amelia') 'Little Miss Mummey'

This is a Superba Cane-like hybrid with dark bronze leaves having evenly distributed raised silver spots. Leaves are crenulate, 4" wide x 7" long, lobed, undulated, lightly toothed. Surface is smooth; 8 main veins. Petioles are 1 1/2" long and green. Stipules are 3/4" x 1/2" and green.

Male and female flowers are 2" with males having 5 tepals and females 4. Tepals and ovaries are white to light pink. Flower clusters are few with 11 male and 20 female flowers. Flowers are on 8" peduncles in summer.

This plant can be distinguished by its unique raised silver dots on nearly black leaves. Plant is compact and freely branching. It can be hard to bloom, but flowers are a rare color of ivory white with a pink blush.

Brad Thompson, address above, developed this plant in 1992. It first bloomed in 1994 and was first distributed in 1993. Elda Regimbal, 3117 San Juan Dr., Fullerton, CA 92635; Mary Sakamoto, address above; and Don Miller, 1010 Mt. Auburn, Dallas, TX 75223 have tested this plant which is available from Kartuz Greenhouses, 1408. Sunset Dr., Vista, CA 92083. Registered October 23, 2000. Photo, p. 33.





Begonia 'River Nile'

No. 980 Begonia ('Cleopatra' x ['Bokit' x carrieae]) 'River Nile'

This Rhizomatous begonia has a creeping rhizome. Its leaves are bright, light green with reddish brown edge or stitching. They are double spiral with obtuse tip, 5" wide x 5" long, lobed, undulate, with sparse hairs on the margin, bare surface, with 23 main veins. Petioles are 3", green with red specks, and white hairs; green stipules are 1/2" in length and width.

Male and female flowers have 2 tepals that are white, round, 3/4" in diameter. There are many flower clusters with 14 male and 19 female flowers on 12" peduncles in spring. There are many persistent green stipules on peduncles.

Plant can have brown streaked markings, but leaves are generally bright green double spirals with a reddish brown edge. Leaves are roughly heart shaped. Plant is very full and compact growing, is very striking and makes a wonderfully shaped plant.

This begonia was developed by Brad Thompson, address above, in 1991 and first bloomed and was distributed in 1993. It has been tested by Iris Bird, address above, and Mary Sakamoto, address above. It is available from Kartuz Greenhouses, address above. Registered October 23, 2000. Photo, p. 33.

Begonia 'Hyroglyphics'
No. 981 Begonia ('Cleopatra' x ['Bokit' x carrieae]).

This Rhizomatous begonia has a creeping rhizome. Its leaves are bright green with dark brown to black leaf edges, star shaped, semi-spiraled, 5" wide x 6" long with serrate, undulate margin, and a smooth surface and 13 main veins. Petioles are 6", green with red specks, sparse hairs. Stipules are green, 1/2" x 1/2".

Male and Female flowers are 1" with 2 round tepals which are pink with red specks; ovaries are green with pink wings, red specked. The many flower clusters have 45 male, 60 female flowers on 8 to 12" penduncles in the spring.

Leaves are a dark green with dark brown or black leaf edges; veins are light green and prominent. Leaf is a rounded star shape with deep lobes. Leaf edges are serrated, wavy and sparsely hairy. It is full and compact growing, very tough and sturdy, and easy to propagate.

Plant was developed in 1991 by Brad Thompson, address above, and first bloomed and was distributed in 1993. Iris Bird, address above, and Mary Sakamoto, address above, tested this plant which is available from Kartuz Greenhouses, address above. Registered October 23, 2000. Photo, opposite.

Begonia 'Curly Stormy Night'
No. 982 Begonia ('Peggy Frost' x ['Bokit' x carrieae]) 'Curly Stormy Night'

This Rhizomatous begonia has a creeping rhizome. Its leaves are 7" x 7", black, star shaped, with a double spiral, lobed, toothed, sparsely hairy margin, with 12 to 16 main veins. Petioles are 6", green with red specks, sparse white hairs. Stipules are 1/2" x 1/2" and green. Male and female flowers are 1 1/4" in diameter, have 2 round tepals. Many flower clusters in spring have 33 male and 38 female flowers on lightly hairy peduncles that are 12 to 15 inches.

Leaves are large with very good, double spiral leaves that are black with green veins. Flowers are an uncommon color of rose red and plant is very full and compact growing.

This begonia was developed in 1993 by Brad Thompson, address above, and first bloomed and was distributed in 1994. It was tested by Iris Bird, address above, and Mary Sakamoto, address above, and is available from Cloudy Valley Nursery, address above. Registered October 23, 2000. Photo, opposite.

Needed!

This is a spot that could have held a quick tip! We need a new Quick Tips collector and editor! To volunteer send your name today to the Editor at the address on page 38.



Above, Registration No.981, B. 'Hyrogyphics'. Below, Registration No. 982, B. 'Curly Stormy Night.'



Volume 68 January/February 2001

In Memory

Dr. Bernice G. Schubert

The American Begonia society has again lost a distinguished and valued friend of many years in the death on August 14, 2000, of **Dr. Bernice Giduz Schubert** of the Arnold Arboretum of Harvard University. Dr. Schubert worked at Harvard nearly 40 years and spent 9 years as a plant taxonomist at the U.S. Department of Agriculture in Washington, D.C.

A memorial service celebrating her life was held at Mount Auburn Cemetery and Harvard University Herbaria in Cambridge on October 6, 2000.

A ready adviser and resource, Dr. Schubert answered questions and identified species for ABS members and contributed *Begonian* articles from the 1950's into the 1980's *Begonian* writers cited information from her studies repeatedly even into 1999. She shared photos she took in important herbaria to help in ABS research.

In 1968 Dr. Schubert and colleague Dr. Lyman B. Smith of the Smithsonian jointly won the ABS Eva Kenworthy Gray Award for their extensive work and numerous publications on the *Begoniaceae*. She coauthored at least 27 publications on the family with Dr. Smith from the 1930's on, in addition to other papers alone, in both botanical and horticultural journals and in encyclopedias. Jointly they named at least 122 species of *Begonia*-from Mexico, Guatemala, Panama, Venezuela, Colombia, Peru, Bolivia, Argentina, Ecuador, and Brazil.

In 1986 the Massachusetts Horticultural Society awarded Dr. Schubert its Silver Medal for "noteworthy service to horticulture."

Always sharing her expertise, she attended the defense of dissertations on research in *Begonia* by students under Dr. Fred Barkley at Northeastern University in Boston. When the University of California expedition to Peru in 1936-37 brought collections of *Begonia* back, Bernice Schubert and Lyman Smith helped with identification of species, which in turn were shared with ABS growers. Almost 40 years later, Bernice Schubert was still a resource, assisting Scott Hoover with identification of plants he found in Latin America. She is missed.

Carrie Karegeannes and Scott Hoover

Pronunciation of Begoniaceae Names for the Begonian, 68, January-February, 2001 by Jack Golding

carrieae	kar-REE-ee	
cinnabarina	sin-na-bar-EYE-nuh	
coccinea	kok-SIN-e-uh	
cooperi	KOOP-er-eye	
estrellensis	es-trell-EN-sis	
heydei	HAY-de-eye	
fissistyla	fis-si-STEYE-luh	
glabra	GLAYB-ruh	
involucrata	in-vol-yew-KRAY-	
	tuh	
kenworthyae	ken-WORTH-i-ee	
leprosa	lep-ROH-suh	
mollicaulis	mol-li-KAW-lis	
nelumbiifolia	nel-um-bi-eye-FOH-	
	li-uh	
plebeja	ple-BEE-juh	
ravenii	RAY-ven-i-eye	
strigillosa	stri-gil-LOH-suh	

Southern Burner Co.

Vented Greenhouse Heaters.





Model A-1 25,000 BTU Vented Orchid House Heater

Dependable vented orchid house heaters. Economical heat on natural or LP gas.

"No Electricity Required." Millivolt controls available with "Setback" thermostat for day & night temperatures. For literature and prices, give us a call or drop us a line.

Southern Burner Co.

P.O. Box 885 Chickasha, OK 73023 (800) 375-5001 (405) 224-5000

Begonias - Gesneriads Rare Flowering Plants & Vines

Kartuz Greenhouses

1408 Sunset Dr., Dept. B Vista, CA 92083-653

760-941-3613

Catalog:

\$2.00. Free to ABS Members

http://www.kartuz.com



Weiss' Gesneriads

Plants Grown for Distinctive Foliage

Episcias Sinningias **Begonias** Chiritas Plants - Cuttings Free Catalogue

(216) 321-6785 2293 S. Taylor Road Cleveland Heights, Ohio 44118



We specialize in Rhizomatous, Cane, Rex, and miniature Begonias. We also carry Orchids, Rare Plants, Peperomias, Episcias, Hoyas, Ferns & more. Send a long self-addressed double stamped envelope for our price list.

We invite you to visit our beautiful tropical garden nursery.

Palm Hammock Orchid Estate, Inc.

Dept. B * 9995 S.W. 66th St. * Miami, FL. 33173 * (305) 274-9813 Hours - Mon-Fri 9-5 * Saturday 9-4

Your begonias will feel right at home growing with gesneriads!

American Gloxinia and Gesneriad Society

Annual dues: Individual....\$20. Quarterly Journal, extensive seed fund, judging schools, annual convention http://www.forthrt.com/~aggs/

AGGS Membership Secretariat MJ & DB Tyler P.O. Box 1598 Port Angeles, WA 98362-0194 USA

COMING EVENTS

February 17-18, 2001: 'Begonia Be Mine', the Miami Begonia Society Show, will be held from 9:30 a.m. to 4:30 p.m. at the Fairchild's Tropical Gardens in Miami, Florida. More info is available from **Karen Lawrence** at 305-666-6374.

February 23-25, 2001: Winter ABS Board Meeting in Atlanta.Ramada Plaza Hotel, 404-768-7800; cut-off day for registration is February 1, 2001. For registration blank, see page 238 of the November/December 2000 Begonian or call Carolyn Hawkins for information at 772-471-2841.

July 4-8, 2001: ABS Convention 2001 in Denver, CO. There will be a preconvention tour on the day before the convention starts and a postconvention tour following the last day of the convention. For more information call Andy Conely at 303-916-5676. (Note that Andy has moved and this is a new number!! See new address, p. 39.)

2001: Southwest Region/ABS Get-Together in Dallas, TX, April 25-29 at the Holiday Inn in Plano (972-881-1881). There will be a one day preconvention tour on Tuesday.

September 2001: ABS Board Meeting in Orange County, CA. More information to come.

September 2002: AABS Convention, Perth, Australia. You're Invited.

Closing Date for Next Issue is January 15.

The Begonian

Editor: Freda M. Holley, 2015 Elvin Dr. Stillwater, OK 74074. Ph: 405-385-0484. E-mail: fholley@provalue.net

Consulting Editors: Tamsin Boardman and Jan Brown.

Nomenclature Editor: Jack Golding, 33 Ingram Drive, Monroe Township, NJ 08831-4641, E-mail: JGBEGNOM@aol.com

Quick Tips: Position Open

Advertising Staff:

Display Ads: Ann Salisbury, P.O. Box 452, Tonkawa, OK 74653, Ph: 580-628-5230. Email: geneann@kskc.net

Plant Society Ads: Wanda Macnair, 177 Hancock St., Cambridge, MA, 02139, Ph: 617-876-1356

Send inquiries about address changes, missing copies, dues, subscription and circulation to Arlene Ingles, 157 Monument, Rio Dell, CA 95562-1617, Ph: (707) 764-5407;

E-mail ingles@humboldt1.com

ABS Elected Officers

President..........Charles Jaros, 200 Maureen Drive, Sanford, FL 32771, Ph: 407-328-0618

Past President.......Bruce C. Boardman, P. O. Box 69, Bluff Dale, TX 76433, Ph: 254-728-3485.

1st Vice-President.....Morris Mueller, 163 Hartnell Place, Sacramento, CA 95825, Ph: 916-927-4921

2nd Vice-President........Howard Berg, 16 Highview Terr., New Canaan, CT 06840. 3rd Vice-President....Helen Spiers, 1423 Laskey Street, Houston, TX 77034, Ph: 713-946-4237

Secretary.......Richard Macnair, 177 Hancock Street, Cambridge, MA 02139; Ph: 617-876-1356 Treasurer......Carol Notaras, 2567 Green St., San Francisco, CA 94123; Ph: 415-931-4912; E-mail: cnotaras@juno.com

Appointed Chairmen and Directors

Audit.......Paul Tsamtsis,
1630 F St., Sacramento, CA 95814-1611
Awards......Michael Ludwig,
6040 Upland St., San Diego, CA 92114-1933
Back Issues......Ann Salisbury,
P.O. Box 452, Tonkawa, OK 74653; Ph:
580-628-5230, Email: geneann@kskc.net
Ballot Counting......Ingeborg Foo,
1050 Melrose Way, Vista, CA 92083; Ph:
760-724-4871

Book Store......Cheryl Lenert, 13014 Chavile, Cypress, TX 77429, Ph: 281-897-0155

Branch Relations.....Mary Bucholtz, 1560 Lancaster Terrace #1008
Jacksonville, FL 32204; Ph: 904-353-9111
Business Manager.....Gene Salisbury, P.O. Box 452, Tonkawa, OK 74653; Ph: 580-628-5230, Email: geneann@kskc.net
Conservation.....Tamsin Boardman, P.O. Box 69, Bluf Dale, TX 76433; Ph: 254-728-3485

Convention Advisor.....Virginia Jens, 922 Upland R., West Palm Beach, FL 33401-7550, Ph: 561-835-3845 **Convention Chairman...**Andrew Conely, 45000 County Road 78.9, Model, Colorado 81059; Ph: 303-916-5676

Entries/Classification....Leora Fuentes, 2200 Glen Forest Ln., Plano, TX 75023; Ph: 972-964-6417

Internet Editor...Kathy Goetz, 935 W. Isabella Street, Lebanon, Oregon 97355; Ph: 541-258-7517. E-Mail: goetzk@dnc.net

HistorianNorma Pfrunder, 1958 Sycamore Ct., McKinleyville, CA 95519-3900

Horticultural Correspondent....Gregory Sytch, 6329 Alaska Avenue, New Port Richey, FL 34653-4301; Ph: 727-841-9618 E-mail: GSytch@cs.com

Judging...Maxine Zinman, 2770 Kimble Rd., Berryville, VA 22611; Ph: 540-955-4555, E-mail: begonia@visuallink.com Members-at-Large... H. Alton Lee, 5813 19th Avenue S., Gulfport, FL 33707; Ph: 727-343-5402, E-mail: HALPCL@aol.com Membership...Arlene Ingles,

157 Monument, Rio Dell, CA 95562-1617; Ph: 707-764-5407, Email:

ingles@humboldt1.com

Nomenclature.....Gene Salisbury, P.O. Box 452 Tonkawa, OK 74653; Ph: 580-628-5230 Email: geneann@kskc.net

Parliamentarian....Margaret Lee, 1852 31st St., San Diego CA 92102 Public Relations......Andrew Conely, 45000 County Road 78.9, Model, Colorado 81059; Ph: 303-916-5676.

Research......Kelton Parker, 4525 N. Hiway 171, Cleburne, TX 76031

Round Robin.....Virginia Hamann 1169 Lincoln Ave., Chester IA 52134-8508; Ph: 319-565-4208

Seed Fund.....Eleanor Calkins, 910 Fern St., Escondido, CA 92027; Ph: 760-746-4743

Slide Library......Charles Jaros 200 Maureen Dr., Sanford, FL 32771; Ph: 407-328-0618.

Visit Today! www.begonias.org



American Begonia Society 157 Monument Rio Dell, CA 95562-1617

Change Service Requested

Non Profit Org. U.S. Postage Paid Permit No. 156 Clarksville, AR

Vote on Constitutional Changes, p. 15!!