CHUMASH ETHNOBOTANY: A PRELIMINARY REPORT

JAN TIMBROOK

Department of Anthropology Santa Barbara Museum of Natural History 2559 Puesta del Sol Road Santa Barbara, CA 93105

ABSTRACT.—The Chumash, a hunting, gathering, fishing and seafaring people of coastal southern California, were greatly affected by Spanish missionization beginning in the 1770s. Mexican settlement and later Americanization exerted their own influences, and by the early 20th century the Chumash had been pushed nearly to the brink of extinction. Although the people survived physically, most of their culture perished. Recently, much has been learned about the early Chumash way of life through ethnographic and linguistic data which were collected while Chumash culture still lived in memory, combined with historic, archaeological, and museum resources. This paper summarizes what has thus far been reconstructed of Chumash knowledge and uses of plants in late prehistoric times and after European contact. Chumash ethnobotany has broader implications for theoretical issues in the nature of hunting-gathering societies, interpretation of the archaeological record, human ecology, acculturation, and folk taxonomic studies.

INTRODUCTION

At the time of the first Spanish voyages of discovery along the southern California coast, beginning with Cabrillo in 1542, the Santa Barbara Channel Islands, mainland coast, and adjacent interior mountains and valleys were occupied by about 15,000 people who later became known as the Chumash. Although never politically unified much beyond groups of villages, and that only in certain areas, they were culturally and linguistically similar enough to be considered by anthropologists as a single, albeit somewhat variable, cultural entity.

The climate of Chumash territory is of Mediterranean type, with warm dry summers and cool moist winters. Coastal temperatures $({}^{O}F)$ average in the 40s in January, upper 60s in July. Diurnal and seasonal fluctuations in temperature are greater in the inland areas than along the coast. The rainy season, with average rainfall of about 43 cm at Santa Barbara, lasts from November to April. Virtually no precipitation occurs the rest of the year. Early summer fogs give way to late summer heat and drought, with occasional wildfires fanned by winds from interior deserts (Smith 1976:3-6).

The bulk of the Chumash population resided along the plain on the coastal side of the Santa Ynez Mountains. This range runs parallel to the east-west coastline, and rises to a height of some 1200 meters within just a few kilometers of the shore. Vegetation on the coastal plain was dominated by grassland-oak savannah. Coastal sage scrub and chaparral were also widespread plant communities; the latter is a dense growth of several species of stiff woody shrubs covering the slopes of the mountains and higher foothills. Numerous stream channels of both seasonal and permanent watercourses, lined with riparian vegetation, dissected the coastal plain. Stream channels often terminated in coastal marshlands. Inland, oak savannah and woodland dominated the valleys, with stands of coniferous trees in the higher mountains. Within a relatively short distance from any settlement there were a variety of different plant communities, each with its own set of valuable resources which contributed to the subsistence, material culture and religious behavior of the Chumash people.

The Chumash were hunter-gatherers, with particular emphasis on ocean fishing by coastal groups. The marine and terrestrial environments were both rich in species diversity and extraordinarily productive, permitting a sedentary settlement pattern and a degree of population density greater than that of most agricultural peoples in aboriginal North America (Brown 1967). Ethnohistoric research has revealed much about the complexity of Chumash society (e.g. Blackburn 1975, 1976; Harrington n.d.; King 1971), which was stratified into classes based on wealth; membership in these was inherited but some opportunities for mobility also existed. Positions of political and religious leadership were inherited. Craft specialization seems to have been controlled by guild-like organizations. Shell bead money functioned as a medium of exchange in a far-reaching network of trade. The Chumash, in short, were a prime example of what have been called "affluent foragers" (Koyama and Thomas 1981) and were not at all typical of the more familiar modern, nomadic hunter-gatherers who have been pushed into marginal environments.

Technologically sophisticated though they were, the Chumash proved no match for the powerful ecclesiastical and military force of the Spanish Empire, nor for the array of contagious diseases which devastated their population and their morale. Although the Mission system, which lasted from 1770 to 1834, was apparently less completely destructive to Chumash culture than was once thought, it so drastically reduced their numbers and altered their outlook that it was impossible to revive the functioning cultural entity after secularization. The Mexican rancho era (1834-1850) and subsequent period of American settlement further contributed to the numerical and cultural decline of the Chumash. Although there are over a thousand people of Chumash ancestry currently residing in Santa Barbara, Ventura and San Luis Obispo counties—the approximate extent of their former territory—Chumash culture may be regarded as virtually extinct.

SOURCES AND METHODS

Because of the lack of knowledge about nearly all traditional plant uses and related lore among today's Chumash descendants, the usual methods of ethnographic and linguistic field work are not useful for gathering information about former practices. Reconstruction of pre-contact and early historic Chumash ethnobotany is therefore a task requiring the pragmatic research method often labeled "ethnohistory." This term may cause some confusion since it is qualitatively different from "ethnobotany," "ethnomusicology," and the like. It has been characterized as the history of non-literate peoples and fundamentally involves incorporation of a diverse variety of sources (Carmack 1972). For this specific research project there are three major sources: historical writings by early travelers and missionaries; unpublished notes from ethnographic and linguistic field work which was conducted early in this century; and archaeological findings, including collections now housed in museums. In addition, a general familiarity with cultural patterns and plant usages throughout the entire central and southern Californian culture area is incorporated, in order to provide a basis for comparison and a context for interpretation of the findings from the other major sources.

The brief logs of the 1542 Cabrillo voyage, which marked the initial contact between Chumash and Europeans, provide very little detail; and subsequent contacts over the next two centuries were few and sporadic (Bolton 1925; Wagner 1929). The major historic sources which provide information about Chumash plant uses begin with the diaries of the Portola and De Anza expeditions of 1769-1770, particularly the accounts by Crespi (Bolton 1927; Brown n.d., 1965) and Fages (Priestley 1937). These accounts paid much attention to natural resources, with an eye toward establishing Spanish colonies, and therefore contain information about the relationship between native peoples and flora. Further such information is offered by later naturalist-explorer José Longinos Martinez in 1792 (Simpson 1961) and by Archibald Menzies on the Vancouver expedition a year later (Menzies 1924). By that time Franciscan missions had already been established, certain species of new plants introduced, and traditional Chumash plant-use practices subjected to Spanish-Mexican influence. Writings by the missionaries provide ethnobotanical data, particularly on food and medicine; they are noticeably sparse on material culture and religion, things the padres sought to change rather than understand (Geiger and Meighan 1976). After mission secularization in 1834 there are few historical documents of much use for ethnobotanical reconstruction. Exceptions are two manuscripts on Chumash medicine, one compiled in the late 19th century by a physician (Bard 1894), the other slightly later by a pharmacist (Birabent n.d.).

The bulk of the data available on Chumash ethnobotany comes from field work conducted by the Bureau of American Ethnology anthropologist and linguist, John P. Harrington. He worked sporadically with at least three generations of Chumash consultants from about 1912 into the 1950s, although he collected most of the information in the 1910s and 20s.¹ Plant usages and names in five Chumashan languages as well as Spanish and English are scattered throughout Harrington's tens of thousands of pages of field notes. In addition, several hundred plant specimens were collected by some of his consultants and tagged with Barbareño Chumash and Spanish common names.² Because Harrington usually attempted to note names for the same plant in several Chumashan languages and Spanish, these tagged specimens have enabled accurate botanical identification of numerous plants for which Chumash or Spanish common names prevail, both in his own notes and in many other sources. The Harrington material provides a good core of data on Chumash knowledge and uses of plants into which data from other historical, ethnographic, and archaeological sources can be fitted. In this way, a reasonably detailed picture can be obtained, although it will never be as complete as one which incorporates first-hand fieldwork directed toward ethnobotanical inquiry.

The archaeological record is likewise incomplete, because of poor preservation of plant remains and, until recently, poor techniques for their recovery. This research project has to date directed little attention toward investigation of archaeological plant remains; a large body of site reports awaits perusal. It seems likely that interpretation of archaeological findings will gain in significance when ethnobotanical data from other sources have been compiled and species taxonomically determined. Museum collections do contain both archaeological and ethnographic artifacts and raw materials which are proving useful in supplementing and clarifying data from other sources; examples include wooden bowls, canoe planks, basketry, and caches of medicinal plants.

The ideal method for reconstructing late prehistoric and early historic period Chumash ethnobotany would be to start with the earliest information available and describe changes that occurred in chronological order. This may in fact turn out to be the best way of presenting the information. Unfortunately, the data from early historic times are extremely scanty. The most complete source is the "memory ethnography" conducted after 1910, which reaches only slightly further back than the mission era with any certainty. Accordingly, the constraints of the source materials available force adoption of the so-called "direct historic approach" pioneered by Strong (1940) in Plains ethnohistory, among other authors (e.g. Steward 1942); it consists of working backward in time from the known to the unknown.

One possible drawback of the direct historic approach in Chumash ethnobotanical research is a propensity to what might be called "reconstruction by subtraction." It is tempting merely to eliminate species which are known to have been introduced from the Mediterranean Region in order to arrive at what was presumably the aboriginal tradition. But this results in two serious problems: first, it overlooks the more subtle influences which may have been exerted on plant usages beyond simple introduction of species; and second, it implicitly assumes that aboriginal tradition was static, extending unaltered

into the indefinite distant past. To the contrary, contacts between groups as well as outright population movements existed prehistorically, not just after European arrival; particular consideration must be given to the date of any piece of information in order to attempt to fit it into this dynamic process of culture change. It is likely, though, that there would have been a relatively stable core of plant usages and related practices that were maintained fairly consistently over the period of a few centuries intended to be covered in this study. It should be possible to determine these by comparing source materials which date from different time periods.

SUMMARY OF THE FINDINGS

Plants which I have thus far determined to have been used by the Chumash are listed in the Appendix at the end of this article.³ Their uses are assigned to standardized, general categories and subcategories to facilitate summarizing a large body of information. More complete descriptions of specific usages, plant parts used, methods of preparation, season of gathering, and other such important topics will be included in a comprehensive monograph which will be published in the future. Vernacular names in the five major Chumashan languages and in the local Spanish dialect are likewise too cumbersome to include in the present format.

Plants for which uses are listed number 156 species, of which 16 are non-native. Of the many plants which were introduced to California from elsewhere and adopted by the Chumash, only those which have become naturalized are included here. Because it is not always clear exactly which of the species in a particular genus were used or not used, the figures are only approximations, but the data presented in the Appendix are roughly summarized in Table 1. Since many plants have more than one use—several have six or seven, oaks and willows have ten or 11—the subcategory figures total higher than the number shown for each major heading.

One difficulty with this scheme for summarizing a very large body of data is that it is hard to see which species were really the most important, in terms of quantities which

Category	Native spp.	Introd. spp.	Total
Food	55	10	65
Medicine	88	9	97
curing	86	9	95
hygiene	10	0	10
Material Culture	60	3	63
clothing	16	1	17
construction	19	2	21
crafts	46	2	48
tools	27	2	29
Ceremonial	36	1	37
religious	25	0	25
magical	17	0	17
amusements	18	1	19
Miscellaneous	22	3	25

TABLE 1. Summary of Chumash plant usages.

may have been used or key roles which they may have played despite small volume obtained. To help balance the tendency toward numerical interpretation of data, which, if carried to excess, may be seriously misleading, I insert here a brief commentary on what I subjectively consider to have been the 20 most important plants in Chumash culture. They are listed taxonomically rather than in order of importance.

1. Pines, particularly piñon (*Pinus monophylla*) but also *P. ponderosa* and *P. jef-freyi*, provided nuts which were a major storable food, pitch as an adhesive and caulking material, and wood for construction and bowmaking.

2. Giant wild rye (Elymus condensatus) and carrizo grass (Phragmites australis) were most valued for arrowmaking, but also had several other uses. Honeydew deposited on carrizo was a particular delicacy.

3. Bulrush (Scirpus spp.) stems were the principal material for mats and house thatching; the rhizomes were also eaten.

4. Juncus rush (four species) was virtually the only plant used in basketmaking. Chumash baskets served in numerous vital roles in daily life, as well as being a highly developed art form.

5. Soaproot (Chlorogalum pomeridianum) bulbs were used as fish poison, and possibly as human food; the outer husk fibers were made into utilitarian brushes.

6. Brodiaea (Dichelostemma pulchellum) bulbs were formerly much more common than they are today and were apparently a major food.

7. Yucca whipplei was important as a fiber, food, and fuel plant. Early Spanish explorers were offered roasted yucca "cabbages" and found them quite delicious.

8. Willows, probably several species, constituted the most important material for fuel and for all kinds of construction; e.g., willow poles were lashed with willow bark to form the house framework. They also had a number of medicinal uses.

9. Oaks, particularly *Quercus agrifolia* and *Q. lobata*, yielded acorns which were unquestionably the most important staple food of the Chumash. Their value was due both to abundance and to storability. Oaks had many other uses as well—some 11 are listed in the Appendix—including importance as firewood and coals for toasting seeds.

10. Red maids (*Calandrinia*) seeds were very important as offerings on religious occasions. Large quantities of these small, black seeds have been found as burial accompaniments throughout Chumash territory.

11. Toyon (Heteromeles arbutifolia) provided hard wood used for arrow foreshafts and many other kinds of tools.

12. Wild cherry (Prunus ilicifolia) pits were another abundant, storable staple food.

13. Ceanothus and probably also mountain mahogany (Cercocarpus betuloides) wood was made into digging sticks, essential tools for harvesting many edible plants.

14. Prickly pear cactus (Opuntia spp.) had among the most diverse uses of any plant: fruit and stems as food, thorns for ear piercing, juice for medicine and dye.

15. Chuchupate (Lomatium californicum) root was a highly valued magical plant especially for affording protection from rattlesnakes.

16. Indian hemp (Apocynum cannabinum) and to a lesser extent milkweed (Asclepias spp.) fiber was most important for making string and cordage. These were essential for canoemaking, fishing lines, nets, clothing, and other necessities of life.

17. Chia sage (Salvia columbariae) seeds were a major food, constantly mentioned by Harrington's Chumash consultants and many other historical sources. These seeds also had medicinal uses. Other species of Salvia seem to have been much less used.

18. Jimsonweed or *toloache (Datura meteloides)* was the single most important ceremonial/religious plant. It induced visions enabling contact with the supernatural, and was also extensively used in curing.

19. Native tobacco (*Nicotiana* spp.) was used for ceremonial purposes, as well as being smoked or eaten for enjoyment and health.

20. Artemisia californica and A. douglasiana both had several uses, the former principally for ritual and ceremony, the latter as medicine.

It will be noted that there are few medicinal plants named in the above list. This is not because I doubt the efficacy of native health care practices, but because it is difficult to assess their importance when little information is available about how frequently Chumash people resorted to herbal medicine.

DISCUSSION

Following the brief overview just presented of the range of plant usages by the Chumash, in this section I will address three related topics which have emerged in the course of this research. First, how did contact with Europeans and the species they introduced affect Chumash plant use practices? Second, how did the Chumash think about plants and categorize them? What if any correlation exists between Chumash folk taxonomy and the Linnaean system? Third, what other kinds of plant-human interactions can be suggested? That is, in connection with being gatherers of plants, how did the Chumash as hunter-gatherers affect the ecological system in which they lived?

As might be expected, the highest proportion of introduced plants is seen in the food and medicine categories. The large total number of medicinal plants (97 spp.) may be related to the many uses that were introduced to the Chumash in the mission era for plants which were native over a wide area from Mexico to southern California. Studies in recent decades (e.g. Gardner 1965, Weyrauch 1982) indicate that the Chumash, like most peoples, have probably always been willing to try new remedies, especially for colds and for the dermatitis induced by poison oak. It seems very likely that even though medicinal plants may have a wide distribution, their uses may have been discovered by peoples in some parts of the range but not in others. Hispanic folk medicine undoubtedly had a significant influence on Chumash practices from very early historic times.

New dietary items introduced with the agricultural mission economy had a profound effect on the inventory of Chumash food plants which is scarcely reflected in the numbers presented here, owing to the elimination of cultivars from the list. Leaving those plants aside and focusing only on naturalized species, which behave like native plants in "just growing wild," it is clear that the Chumash readily adopted those which were most like plants they were already using. These included small seeds of annual grasses, dock and mustard; fresh greens of mustard, watercress and mallow; and the larger, less spiny fruit and pads of *Opuntia ficus-indica*, a species which hybridized with the native prickly pears.

The same can be said of plants used in material culture: new species were adopted to fill the same functions as the native plants to which they were most similar. There were only three species which were introduced into material culture, with seven uses among them. Giant reed (Arundo donax) supplemented the large native wild rye and carrizo grasses in construction, arrowmaking and other crafts. The large introduced prickly pear cactus joined its native counterparts in being used for paint, sealant and other things as well as for food and medicine. Finally, mallow was found to be suitable for stringmaking, although it was considered inferior to Indian hemp, milkweed and nettle.

In ceremonial categories, however, the evidence indicates that no introduced species were adopted into either religious or magical functions. This is to be expected owing to the greater conservatism and importance of tradition in those aspects of life, in contrast to pragmatic willingness to experiment with foods and remedies. The only introduced plant in the amusement category was, again, giant reed, which was used like carrizo grass for cigarette-like tubes to hold smoking tobacco.

The number of native species in the list should be expanded somewhat after further study of the source materials and comparison with known plant use patterns of neighboring groups in the wider culture area. It now seems as though several species which the Chumash would be expected to have used are not mentioned, particularly numerous species of native bunch grasses and seed-bearing composites. These gaps can probably be attributed principally to the small sample of consultants interviewed by Harrington, the late date of his study after many traditional usages had been forgotten, and the fact that his salvage ethnography was quite wide-ranging rather than focused on ethnobotany.

The degree of correlation between Chumash folk botanical taxa and Western scientific genera and species must be addressed in any study such as this. Chumashan languages are no longer spoken and there are no knowledgeable consultants who can aid in folk taxonomic inquiries. It has therefore been a matter of real concern that a researcher trained to think in terms of Linnaean taxonomy could completely misinterpret or at least seriously misunderstand the categories of organisms represented by Harrington's recorded Chumash names.

Careful analysis of plant descriptions included in Harrington's field notes and of the labeled, pressed specimens collected by his consultants has relieved much of my anxiety on that score. As Berlin and his colleagues (Berlin 1973; Berlin et al. 1973, 1974) have found with other peoples, the Chumash seem to have fairly consistently placed plants into categories that bear a remarkable similarity to our own, and to have based them on morphological features in most cases. To give three examples: they distinguished⁴ between spiny gooseberries (*stimiy*, *Ribes amarum; stimiy 'iwi*, *R. speciosum*) and non-spiny currants (*sqa'yi'nu*, characterized as "smooth," attributed to *R. malvaceum*), reflecting a division made by some authors, *Ribes* and *Grossularia* spp.; between white-flowered (*seq, Ceanothus megacarpus*) and blue-flowered (*wasbiko, C. oliganthus, C. spinosus*) groups of Ceanothus; and between the evergreen coast liveoak (*ku'w, Quercus agrifolia*) and deciduous valley oak (*ta'*, which includes both *Q. lobata* and the deciduous, lobed-leaved *Q. dumosa* var. *kinselae*).

Other factors are sometimes seen in Chumash plant categorization. Usage is reflected in the fact that separate names were given to taxa used for coiled basketry foundations (Ventureño *tasb*), for sewing strands (*mexme'y*), and for twined basketry (*'esmu*); however, even in this case the divisions also seem to coincide with Western species (attributed to *Juncus balticus*, *J. textilis*, and *J. acutus*, respectively, from descriptions by Harrington's consultants). Habitat may sometimes be invoked in distinguishing between similar plants. For example, *Equisetum telmateia* var. *braunii* and *Ephedra viridis*, superficially similar in having jointed stems, were both called *wosbko'loy* in Barbareño Chumash, but the latter was distinguished with a suffix indicating the interior mountain range where it was found: *wosbko'loy "bi cimajimol"* [sic] = *i tsiwaya* (?) [*tsiwaya*, San Emigdio Mountain (Applegate 1975:44)].

Cultural ecology deals with the interrelationships between people and plants. The above discussion has already addressed some of the effects of plants on the Chumash people in terms of their usage and classification. The effects that people have on plants can be either deliberate or unintentional. Gathering plants for human use is a deliberate act which may have unintentional effects, such as depletion of fuelwood; to date no evidence has been found that the Chumash "overexploited" any plant species. Long-term habitation in particular sites has resulted in formation of the distinctive midden soil, which tends to be colonized by certain species of plants. Although most of Chumash habitat has been extensively altered by recent suburban development, the Channel Islands are relatively undisturbed. On Santa Cruz Island, native tobacco is only found on middens of former village sites, and Datura is found in far greater concentrations there than in any other location. Both these plants were of great importance in Chumash religion and ceremony. I suspect that they were introduced to the islands by the Chumash, although fertility or chemistry of the soil may also have some bearing on their preference for colonizing middens. The intended or accidental effects humans had on the distribution of such plants is a question that ethnobotanical research should not overlook.

It has recently been found that the Chumash may have performed significant environmental alterations through the practice of regular burning of grasslands to encourage growth of certain plants which provided human food (Timbrook et al. 1982). By doing this, they affected not only the abundance and vigor of the particular species they sought, but probably had significant effects on the distribution of whole communities or types of vegetation as well. Archaeologists should attempt to recover plant remains and any other data which can yield information about the antiquity of this practice, and also about whether the Chumash may have acted as a selective influence on the morphology as well as on the distribution of the plants they used. Agricultural peoples have modified the plants they use, even those which are not really domesticated (see, e.g., Bye 1981; Nabhan et al. 1981). It is possible that some hunter-gatherers may have had similar effects on their botanical environment.

CONCLUSION

The Chumash are of interest for cultural ecological studies, for at least two reasons: their high population density was supported exclusively by an economic base of hunting, fishing, and gathering wild plants; and they actively manipulated their environment to increase their base of support. Greater knowledge of Chumash ethnobotany, along the lines suggested here, can contribute to a better general understanding of the interdependent relationships between human populations and their natural environment.

In folk taxonomic research, it is useful to have new information to suggest that one more group of people tended to classify plants according to the same morphological criteria which have formed the basis for Western "scientific" taxonomy, fitting into the general pattern noted by Berlin, Raven and others (Berlin 1973; Berlin et al. 1973, 1974; Raven et al. 1971). For the Chumash, this remains only a suggestion since the original data are incomplete, and prehispanic language and folk categories are unknown among today's descendants.

Study of any people's plant knowledge and uses are also of great potential importance for understanding the processes of culture contact and change, and how they affect the mechanics of everyday life. The Chumash case offers excellent opportunities for such research, and offers a model for the use of archival sources in ethnobotanical investigation.

ACKNOWLEDGEMENTS

My continuing research with the Harrington collection could not have been nearly so rewarding without the invaluable assistance of the staff of the National Anthropological Archives, particularly Elaine Mills, Harrington Microfilm Project Archivist. I am also most grateful to botanists Clifton Smith of this museum and Mary Junak, Steve Junak, Ralph Philbrick and Steve Timbrook of the Santa Barbara Botanic Garden, for their ability to recognize plant species from 60-year-old dried fragments. This research has been funded in part by grants from the Smithsonian Institution and the University of California, Santa Barbara, with continuing support by the Santa Barbara Museum of Natural History. An abbreviated version of this paper was presented at the Seventh Ethnobiology Conference in Seattle, April 1984; subsequent comments by the editor of this journal and two anonymous reviewers were most helpful in adapting it for publication.

LITERATURE CITED

ANDERSON, EUGENE N., JR. 1978. A Revised, Annotated Bibliography of the Chumash and their Predecessors. Ballena Press Anthropological Papers No. 11, Socorro, New Mexico.

APPLEGATE, RICHARD. n.d. Ineseño Chu-

mash Dictionary. Unpublished manuscript on file, Santa Barbara Museum of Natural History Library.

. 1975a. An Index of Chumash Placenames. Pp. 19-46, *in* Papers on the Chumash. San Luis Obispo County

LITERATURE CITED (continued)

Archaeological Society Occasional Paper No. 9. San Luis Obispo.

. 1975b. The Datura Cult Among the Chumash. Journal of California Anthropology 2(1):7-17.

- BARD, CEPHAS L. 1894. A Contribution to the History of Medicine in Southern California. Southern California Practitioner, August 1894.
- BELL, K.M. 1931. Swinging the Censer. Privately Printed, Santa Barbara.
- BERLIN, BRENT. 1973. Folk Systematics in Relation to Biological Classification and Nomenclature. Annual Review of Ecology and Systematics 4:259-271.
- BERLIN, BRENT, DENNIS E. BREEDLOVE, and PETER H. RAVEN. 1973. General Principles of Classification and Nomenclature in Folk Biology. American Anthropologist 75:214-242.

. 1974. Principles of Tzeltal Plant Classification: An Introduction to the Botanical Ethnography of a Mayan-Speaking Community of Highland Chiapas. Academic Press, New York

- BINGHAM, MRS. R.F. 1890. Medicinal Plants Growing Wild in Santa Barbara and Vicinity. Santa Barbara Society of Natural History Bulletin 1(2):34-37.
- BIRABENT, FRANK. n.d. Wild Herbs Used by the Indians and Spanish People in Santa Barbara County for Medicinal Purposes. Manuscript on file, Santa Barbara Museum of Natural History Library.
- BLACKBURN, THOMAS C. A Manuscript Account of the Ventureño Chumash. Archaeological Survey Annual Report, 1962-1963, pp. 135-160. University of California, Los Angeles.

A Book of Chumash Oral Narratives. University of California Press, Berkeley.

. 1976. Ceremonial Integration and Social Interaction in Aboriginal California. Pp. 225-243 *in* Native Californians: A Theoretical Retrospective, LJ. Bean and T.C. Blackburn, eds.

BOLTON, HERBERT E. 1925. Spanish Exploration in the Southwest, 1542-1706. Charles Scribner's Sons, New York.

. 1927. Fray Juan Crespi, Missionary Explorer on the Pacific Coast. University of California Press, Berkeley.

BROWN, ALAN K. n.d. Unpublished Translation of Portions of Crespi's Journals. Manuscript on File, Santa Barbara Mission-Archive Library, reference file ms. 720.

- nals of Juan Crespi. The Americans 21(4): 375-398.
- . 1967. The Aboriginal Population of the Santa Barbara Channel. University of California Archaeological Survey Reports No. 69, Berkeley.
- BYE, ROBERT A., JR. 1981. Quelites-Ethnoccology of Edible Greens-Past, Present, Future. Journal of Ethnobiology 1(1):109-123.
- CABALLERÍA Y COLLELL, JUAN. 1892. History of the City of Santa Barbara, California. F. de P. Gutierrez, Santa Barbara.
- CARMACK, ROBERT M. 1972. Ethnohistory: A Review of its Development, Definitions, Methods and Aims. Annual Review of Anthropology 1:227-246.
- CRAIG, STEVE. 1966. Ethnographic Notes on the Construction of Ventureño Chumash Baskets: From the Ethnographic and Linguistic Field Notes of John P. Harrington. Archaeological Survey Annual Report 8:197-214. University of California, Los Angeles.
- ______. 1967. The Basketry of the Ventureño Chumash. Archaeological Survey Annual Report 9:78-149. Univ. California, Los Angeles.
- DAWSON, LAWRENCE and JAMES DEETZ. 1965. A Corpus of Chumash Basketry. Archaeological Survey Annual Report 7:193-276. University of California, Los Angeles.
- GARDNER, LOUISE. 1965. The Surviving Chumash. Archaeological Survey Annual Report 7:277-302. University of California, Los Angeles.
- GEIGER, REV. MAYNARD J., and CLE-MENT MEIGHAN. 1976. As the Padres Saw Them: California Indian Life and Customs as Reported by the Franciscan Missionaries, 1813-1815. Santa Barbara Mission Archive-Library, Santa Barbara.
- GRANT, CAMPBELL. 1964. Chumash Artifacts Collected in Santa Barbara County, California. Archaeological Survey Reports 63:1-44. University of California, Berkeley.
- GREENWOOD, ROBERTA. 1972. Nine Thousand Years of Prehistory at Diablo Canyon, San Luis Obispo County, California. San Luis Obispo County Archae-

LITERATURE CITED (Continued)

ological Society Occasional Paper No. 7. San Luis Obispo.

- HARRINGTON, JOHN P. n.d. Unpublished Ethnographic and Linguistic Field Notes. Manuscripts on file, National Anthropological Archives, Smithsonian Institution.
 - . 1928. The Mission Indians of California. Pp. 173-178, *in* Explorations and Field Work of the Smithsonian Institution in 1927. Smithsonian Institution, Washington, D.C.
 - . 1934. Rescuing the Early History of the California Indians. Pp. 54-56, *in* Explorations and Field Work of the Smithsonian Institution in 1933. Smithsonian Institution, Washington, D.C.
- ______. 1942. Culture Element Distributions: XIX. Central California Coast. University of California Archaeological Reports 7(1):1-46. University of California, Berkeley.
- . 1944. Indian Words in Southwest Spanish, Exclusive of Proper Nouns. Plateau 18(2):27-40.
- HEIZER, ROBERT F. (ed.) 1955. California Indian Linguistic Records: the Mission Indian Vocabularies of H. W. Henshaw. Anthropological Records 15:85-202. University of California, Berkeley.
- HENSHAW, HENRY W. 1885. The Aboriginal Relics Called "Sinkers" or "Plummets." American Journal of Archaeology 1(2):105-114.
- HUDSON, TRAVIS. 1977. Chumash Wooden Bowls, Trays, and Boxes. San Diego Museum Papers No. 13. San Diego.
- HUDSON, TRAVIS and THOMAS C. BLACK-BURN. n.d. Chumash Material Culture, forthcoming volumes. Manuscript on file, Santa Barbara Museum of Natural History Library.
 - . 1982. The Material Culture of the Chumash Interaction Sphere, Vol. I: Food Procurement and Transportation. Ballena Press Anthropological Papers No. 25. Los Altos.
 - . 1983. The Material Culture of the Chumash Interaction Sphere, Vol. II: Food Preparation and Shelter. Ballena Press Anthropological Papers No. 27. Los Altos.

- HUDSON, TRAVIS, THOMAS BLACKBURN, ROSARIO CURLETTI, and JAN TIM-BROOK. 1977. The Eye of the Flute: Chumash Traditional History and Ritual as Told by Fernando Librado Kitsepawit to John P. Harrington. Santa Barbara Museum of Natural History, Santa Barbara.
- HUDSON, TRAVIS, JAN TIMBROOK, and MELISSA REMPE. 1978. Tomol: Chumash Watercraft as Described in the Ethnographic Notes of John P. Harrington. Ballena Press Anthropological Papers No. 9. Socorro.
- JEPSON, WILLIS L. 1925. A Manual of the Flowering Plants of California. University of California Press, Berkeley.
- . 1943. A Flora of California, Vol. III, Part 2: Convolvulaceae to Solanaceae. Associated Students Store, University of California, Berkeley.
- KING, CHESTER. 1971. Chumash Intervillage Economic Exchange. The Indian Historian 4(1):31-43.
- KOYAMA, SHUZO and DAVID H. THOMAS.
 1981. Affluent Foragers: Pacific Coasts East and West. Senri Ethnological Series
 9. Osaka, Japan.
- KROEBER, ALFRED L. 1908. A Mission Record of the California Indians. University of California Publications in American Archaeology and Ethnology 8(1):1-27. Berkeley.
- MENZIES, ARCHIBALD. 1924. Journal of the Vancouver Expedition, Alice Eastwood, ed. California Historical Society Quarterly 2:264-340.
- MUNZ, PHILIP A. (in collaboration with David D. Keck). 1959. A California Flora. University of California Press, Berkeley.
- NABHAN, GARY, ALFRED WHITING, HENRY DOBYNS, RICHARD HEVLY, and ROBERT EULER. 1981. Devil's Claw Domestication: Evidence from Southwestern Indian Fields. Journal of Ethnobiology 1(1):135-164.
- PRIESTLEY, H. I. (ed., tr.). 1937. A Historical, Political, and Natural Description of California. University of California Press, Berkeley.

- RAVEN, PETER, BRENT BERLIN, and DENNIS E. BREEDLOVE. 1971. The Origins of Taxonomy. Science 174:1210-1213.
- ROTHROCK, J. T. 1876. Observations upon the Economic Botany and Agriculture of Portions of Southern California. Appendix H-5, pp. 202ff., *in* Annual Report Upon the Geological Surveys West of the One Hundredth Meridian. Government Printing Office, Washington, D.C.
- . 1878. Notes on Economic Botany. Pp. 39-52, *in* United States Geographical Surveys West of the One Hundredth Meridian, Vol. VI: Botany. Government Printing Office, Washington, D.C.
- SIMPSON, L. B. (ed., tr.). 1961. The Journal of José Longinos Martinez. John Howell Books, San Francisco.
- SMITH, CLIFTON F. 1976. A Flora of the Santa Barbara Region, California. Santa Barbara Museum of Natural History, Santa Barbara.
- STEWARD, JULIAN H. 1942. The Direct Historical Approach to Archaeology. American Antiquity 7:337-343.
- STRONG, WILLIAM D. 1940. From History to Prehistory in the Northern Great Plains. Pp. 353-394 in Essays in Historical Anthropology of North America. Smith-

sonian Miscellaneous Collections Vol. 100. Smithsonian Institution, Washington, D.C.

- TIMBROOK, JAN. 1982. Use of Wild Cherry Pits as Food by the California Indians. Journal of Ethnobiology 2(2):162-176.
- _____, JOHN R. JOHNSON, and DAVID D. EARLE. 1982. Vegetation Burning by the Chumash. Journal of California and Great Basin Anthropology 4(2):163-186.
- WAGNER, HENRY R. 1929. Spanish Voyages to the Northwest Coast of America in the Sixteenth Century. California Historical Society, San Francisco.
- WALKER, PHILLIP and TRAVIS HUDSON. (In press). Chumach Healing: Changing Medical Practices in an American Indian Community. Malki Museum Press, Banning.
- WEBB, EDITH B. 1952. Indian Life at the Old Missions. Warren F. Lewis, Los Angeles.
- WEYRAUCH, RITA. 1982. Herbal Remedies. Solstice Journal 1(1). Santa Barbara Indian Center, Santa Barbara.
- YARROW, H. C., 1879. Report on the Operations of a Special Party for Making Ethnological Researches in the Vicinity of Santa Barbara, Cal. Pp. 32-47 in Report Upon the United States Geographical Surveys West of the One Hundredth Meridian, Vol. VII: Archaeology. Government Printing Office, Washington, D.C.

NOTES

¹Though Harrington managed to publish only one major work on the Chumash (a culture trait list, Harrington 1942), his unpublished field notes have proved to be a gold mine of information on all aspects of Chumash language and culture which is being tapped by a new generation of researchers (for a partial list, see Anderson 1978). The field notes, related documents and plant specimens from Harrington's work with Indian peoples all over North America are housed at the National Anthropological Archives, Smithsonian Institution, Washington, D.C. Microfilm copies of much of this material are being made available.

²Although the specimens were generally in poor condition, I was able to identify most of them by sight or with the aid of standard reference floras (Munz 1959; Jepson 1925; Smith 1976). These attributions were confirmed, and additional identifications made, by botanists visiting from the Santa Barbara Botanic Garden who are much more expert than I in dealing with dried material. The collections of the U.S. National Herbarium were also used for species comparison in some instances. Since all but a few of Harrington's Chumash plant specimens were collected in the 1920s by a single Barbareño consultant, they only represent her knowledge and those species which were available in a small part of coastal Chumash territory. In earlier times it was common for people to travel inland to collect many other very important species not available near the coast.

³These determinations were made using various combinations of the following: actual labeled plant specimens; descriptions in Harrington's notes or other sources; common names in Chumashan languages, English or local Spanish dialects; study of artifacts made from plants. The attributions are generally very conservative, and many more species were probably used than are shown here.

⁴Unless otherwise noted in the text, the terms given are from the Barbareño Chumash language, and the identifications are from specimens. The orthography follows the practical system designed by Applegate (1975a), with the substitution of x for underlined h to minimize typesetting difficulties.

APPENDIX

Plants Used by the Chumash

A few introductory comments are necessary to explain what is included in this appendix, what is omitted, and what sources were consulted.

The list includes only those identified species for which Chumash usages were mentioned in one or more of the 50 references which are enumerated below. Most of the information was obtained through firsthand study of John P. Harrington's notes and plant specimens; that which came from research by other authors based on the Harrington material was carefully evaluated—and some identifications changed—before being included. Many other ethnographic, botanical and historical sources were also consulted and similarly evaluated.

Certainly many more species were likely to have been used than the information available at this late date would indicate, and some of the plants in the list may have had additional uses which were not mentioned in the sources I have examined. Naturalized species are included, but cultivars are not. The list omits the many plants which were only named, described, or collected and preserved as specimens, if no use was recorded for them. And plants which have not been botanically identified are also omitted, even though uses were mentioned. The plants are listed by family, genus and species, following the arrangement given in Smith's (1976) flora of the Chumash area.

SOURCES CITED IN THE APPENDIX

- 1. Author's analysis of material objects
- 2. Applegate n.d.
- 3. Applegate 1975a
- 4. Applegate 1975b
- 5. Bard 1894
- 6. Bell 1931
- 7. Bingham 1890
- 8. Birabent n.d.
- 9. Blackburn 1963
- 10. Blackburn 1975
- 11. Bolton 1925
- 12. Bolton 1927
- 13. Caballería y Collell 1892
- 14. Centeno, Juanita: pers. comm. 1978
- 15. Craig 1966
- 16. Craig 1967
- 17. Dawson and Deetz 1965
- 18. Gardner 1965
- 19. Geiger and Meighan 1976
- 20. Grant 1964
- 21. Greenwood 1972
- 22. Harrington n.d.
- 23. Harrington 1928
- 24. Harrington 1934
- 25. Harrington 1942

- 26. Harrington 1944
- 27. Heizer 1955
- 28. Heizer 1970
- 29. Henshaw 1885
- 30. Hudson 1977
- 31. Hudson & Blackburn n.d., 1982, 1983
- 32. Hudson et al. 1977
- 33. Hudson, Timbrook & Rempe 1978
- 34. Jepson 1925
- 35. Jepson 1936
- 36. Jepson 1943
- 37. Kroeber 1908
- 38. Menzies 1924
- 39. Munz 1959
- 40. Priestley 1937
- 41. Rothrock 1876, 1878
- 42. Simpson 1961
- 43. Smith 1976
- 45. 5mmm 1570
- 44. Timbrook 1982
- 45. Timbrook, Johnson & Earle 1982
- 46. Wagner 1929
- 47. Walker & Hudson in press
- 48. Webb 1952
- 49. Weyrauch 1982
- 50. Yarrow 1879

APPENDIX 1.	Plants	Used by	y The	Chumash.
-------------	--------	---------	-------	----------

Plant species	Spec.	FOOD	MED	ICINE	MAT	TERIAL	CULI	URE	CE	REMON	IAL	MISC.	REFERENCES
	at NAA		cur.	hyg.	clo.	con.	cra.	tools	rel.	mag.	amu.	USES	
Macrocystis pyrifera	1	-	_	_	-	_	-	-	-	x	_	anchor	2, 22, 31
POLYPODIACEAE													
Dryopteris arguta	3	-	х	-	—	-	-	-	-	-	-	-	5, 8, 18, 21, 22, 47, 49
Pteridium aquilinum	3	-	-	—	-	x	х	-	-	_	-	-	17, 22
EQUISETACEAE													
Equisetum spp.	1	_	х	_	_	_	х	_	_	—	_	_	22
PINACEAE													
Pinus monophylla	0	x	_	_	-	_	х	x	_	_	_	fuel	
P. jeffreyi	0	x	х	_	_	x	x	-	-	_	_	-	2, 3, 8, 22, 28, 31, 32,
P. ponderosa	0	x	x	_	_	x	x	_	_	_	_	_	33, 49
FAXODIACEAE													
Sequoia sempervirens ^a	0	_	-			x	-	_	x	_	_	_	3, 22, 32, 33
CUPRESSACEAE													
luniperus californica	0	x	х	-	_	-	-	х	-	-	-	-	3, 5, 13, 19, 22, 26

APPENDIX	1.	Plants	Used	by	the	Chumash	(continued)	

Plant species	Spec.	FOOD	MED	ICINE	MA	FERIAI	L CULT	URE	CE	REMON	IAL	MISC.	REFERENCES
	at NAA		cur.	hyg.	clo.	con.	cra.	tools	rel.	mag.	amu.	USES	
EPHEDRACEAE													
Ephedra viridis	1	-	х	-	-	-	х	-	-	—	-	-	5, 8, 14, 18, 20, 21, 22, 43, 49
ТҮРНАСЕАЕ													
Typha sp.	2	х		-	_	x	х	-	—		_	-	3, 22
T. domingensis	1	X	_	_	_	x	х	—	-	-	_	_	5, 22
ZOSTERACEAE													
Phyllospadix torreyi	0	-	х	-	х	x	х	—	—	-	-	_	1, 8, 22, 31, 47
POACEAE													
Arundo donax (I)	0	_	-	_		х	х	x	-	_	х	_	22, 43, 48
Avena fatua (I)	1	х	-	—	_		—	<u> </u>	_	—		fodder	2, 22
Bromus spp. (I)	2	х	_	_	_	-	_	_	_		_	_	2, 22
Distichlis spicata	0	x	_		_	-	_	_	-	_	_	-	2, 22
Elymus condensatus	3	-	-	-	X	х	-	x	-	-	х	-	1, 9, 22, 24, 25 31
Muhlenbergia rigens	0		_	-	-	_	x	_	—	_	_	_	1, 17, 20, 25
Phragmites australis	0	х	х		-	_	х	х	х	_	х	_	22, 25, 31, 32, 43

Plant species	Spec.	FOOD	MED	ICINE	MAT	ERIAL	CULT	URE	CEI	REMON	IAL	MISC.	REFERENCES
	at NAA		cur.	hyg.	clo.	con. cra. tools rel.	rel.	mag.	amu.	USES			
CYPERACEAE													
Carex spp.	0	_	_	_	-	_	х	-	-	_	_	-	17
Scirpus acutus	0	x	х	-	x	x	х	-	x	_	х		1, 2, 3, 5, 9
S. californicus	0	x	х	-	х	х	х	-	х	-	х	-	17, 22, 25, 27 31, 38
JUNCACEAE													
Juncus acutus	0	-	-	_	-	-	х	-	-	-	2	-	1, 3, 9, 14
J. balticus	0		_	_	_	_	x	_	_	_	_	_	15, 16, 17 20, 21, 22
J. effusus	0	_	_	_	_		х	_	_	_	_	_	25,28 31,43
J. textilis	0	_	х	_	x	_	x	x	-	_	_	-	
LILIACEAE													
Calochortus spp.	4	x			_	_	_	_	-	_	_	-	22
Chlorogalum pomeridianum	4	х	_	x	_	_	х	х	-	x	_	tan- ning	1, 14, 18, 22, 49
Zigadenus fremontii	0	_	x		_	_		_	_	_		poison	22

Plant species	Spec.	FOOD	MED	ICINE	MA	FERIAI	L CULI	URE	CE	REMON	IAL	MISC	REFERENCES
	at NAA		cur.	hyg.	clo.	con.	cra.	tools	rel.	mag.	amu.	USES	
AMARYLLIDACEAE													
Allium spp.	0	х	-	-	_	-	· ·	_		-	_	-	13, 22
Dichelostemma pulchellum	5	х	-	-	_	-	_	-	-	-	-	_	10, 13, 22, 27, 32
AGAVACEAE													
Yucca whipplei	1	x	_	-	x	-	х	х	-	_	_	fuel, tattoos	2, 9, 12, 20, 22, 25, 26, 31, 40
SAURURACEAE													01,10
Anemopsis californica	0	-	x	-	_	-	-	-	_	-	-	-	5, 8, 18, 22, 47, 49
SALICACEAE													
Populus fremontii	1	_	x	-	х	x	х		-	_	_	fuel	9 10 00
P. trichocarpa	1	-	х	-	х	х	х	—	—	_	-	fuel	3, 10, 22, 32, 33
Salix laevigata	1	-	х	х	х	x	x	х	х	-	x	fuel, tan-	
S. lasiolepis	3	_	x	x	х	х	х	х	х	-	х	ning fuel, tan- ning	2, 3, 8, 9 15, 22, 25 31, 32, 33

Plant species	Spec.	FOOD	MED	ICINE	MAT	TERIAL	CULT	URE	CE	REMON	IAL	MISC.	REFERENCES
	at NAA	,0	con.	cra.	tools	rel.	mag.	amu.	USES				
JUGLANDACEAE													
Juglans californica	0	х	_	-	-	-	х	_	-	-	х	-	3, 9, 16, 21, 22
BETULACEAE													
Alnus rhombifolia	2	_	_	-	—	_	x	_	_	-	-	dyeing	22, 31, 40
FAGACEAE													
Quercus agrifolia	3	x	х	x	x		x	x	x	-	x	fuel,	
												dye, bait	2, 5, 9, 13,
Q. dumosa dumosa	1	x	_	_	_	_	х	x	_	-	_	–	14, 16, 18,
													19, 22, 27,
Q. dumosa kinselae	1	х	-	_	_	_	х	_	_	_	-	-	31, 32, 38,
Q. lobata	3	x	_	_	_	_	x	-	_	_	_	_	46, 47 49
	U												10
URTICACEAE													
Urtica holosericea	0	-	Х	-	х	х	х	-	_	_	_	-	2, 19, 22, 31
/ISCACEAE (LORANTHACEAE	.)												
Phoradendron spp.	0		x										3, 22

December 1984

JOURNAL OF ETHNOBIOLOGY

Plant species	Spec.	FOOD	MED	ICINE	MA	FERIAI	L CULT	TURE	CEI	MEMON	IAL	MISC.	REFERENCES
	at NAA		cur.	hyg.	clo.	con.	cra.	tools	rel.	mag.	amu.	USES	
POLYGONACEAE													
Eriogonum elongatum	2	_	х	-	-	-	—	_	-	-	-		5,8,9, 18,22,
E. fasciculatum	2	-	х	_	-	_	-	—	_	_	-	_	49
Rumex crispus (I)	3	-	х	_	_	_	-	-	-	-	-	_	2, 8, 22
R. hymenosepalus	0	х	х	_	v	_	-	_		-	_		22
CHENOPODIACEAE													
Atriplex lentiformis subsp. breweri	1	_	x	_	_	_	-		_	_	_	(mis- sion: soap- mak- ing)	3, 8, 22, 43, 48
Chenopodium ambrosioides (I)	1	х	_		-	_	_	_	_	-	_	-	22
C. berlandieri	1	x	—	_	_	-	-		-	-	_	—	22
C. californicum	2	-	x	x	_		-	_		_	-	-	22
AIZOACEAE													
Carpobrotus aequilaterus	0	x	_		_	_	-	-	_	_	_	_	22

APPENDIX 1. Plants Used by the Chumash (continued)

APPENDIX 1.	Plants	Used by	the Chumash	(continued)
-------------	--------	---------	-------------	-------------

Plant species	Spec.	FOOD	MED	ICINE	MA	FERIAL	CULI	URE	CE	REMON	IAL	MISC.	REFERENCES
	at NAA		cur.	hyg.	clo.	con.	cra.	tools	rel.	mag.	amu.	USES	
PORTULACACEAE													
Calandrinia ciliata	0	х	-	-	—	—	-	-	х	х	—	-	1, 10, 22, 23, 40, 41, 45
Montia perfoliata	1	х	—	-	—	-	_	-	-	_	_		22
PAEONIACEAE													
Paeonia californica	2	-	Х	-	-	_	-	-		—	—	-	5, 8, 22
RANUNCULACEAE													
Clematis lasiantha	5	-	х	_	-	_	_	_	_	_			3, 8, 22
C. ligusticifolia	1	_	X	-	_	-	_	_	-	-		-	-,-,-
LAURACEAE													
Umbellularia californica	5	-	Х	_	_	_	x	_	-	x	_	_	8, 14, 22, 30, 49
PAPAVERACEAE													
Eschscholzia californica	2	_	Х	-	-		-	-	-	_	-	-	10, 22
BRASSICACEAE													
Brassica spp. (I)	0	х	_	-	-	_	_	_	_	_	-	_	22, 35

APPENDIX 1. Plants Used by the Chumash (continued	APPENDIX	1.	Plants Used	by the	Chumash	(continued)
---	----------	----	-------------	--------	---------	-------------

Plant species	Spec.	FOOD	MED	ICINE	100000000000000000000000000000000000000	FERIA	L CULI			REMON	IAL	MISC.	REFERENCES
	at NAA		cur.	hyg.	clo.	con.	cra.	tools	rel.	mag.	amu.	USES	
Lepidium nitidum	1	x	x	_	_	_	_	_	_	_		_	8, 22
Rorippa nasturtium- aquaticum (I?)	0	x	x	_	_	_	_	_	_	_	_	_	8, 18, 22, 49
SAXIFRAGACEAE													
Ribes amarum	2	х	-	_			-	_	-	_	_		9, 22, 43
R. speciosum	2	x	-	-	-	-		-	-	-	-	-	5, 22, 10
PLATANACEAE													
Platanus racemosa	4	-	_	-	_	_	x	-	_	_	_		3, 22, 43
ROSACEAE													
Adenostoma fasciculatum	5	—	x	_	_	_	_	x	-		_	_	22, 31
1. sparsifolium	0	-	x		-	—	_	_	_	-	_	-	5, 8, 18, 19, 22, 49
Cercocarpus betuloides	0	_	-	_	-	-	-	x	_	-	_	-	16, 22, 27, 31, 33, 35
Heteromeles arbutifolia	4	х	-	-	x	-	х	х	x	-	х	fuel	2, 9, 13, 22, 26, 31, 32

Vol. 4, No. 2

APPENDIX 1. Plants Used by the Chumash (continued)

Plant species	Spec.	FOOD	MED	ICINE	MA	FERIAL	CULI	URE	CE	REMON	IAL	MISC.	REFERENCES
	at NAA		cur.	hyg.	clo.	con.	cra.	tools	rel.	mag.	amu.	USES	
Horkelia cuneata	2	-	x	_	_	_	-	_	_	_	-	-	5, 8, 18,
Potentilla glandulosa	6	_	х	_	_	_	_	-	_	_	_	—	22,49
Prunus ilicifolia	6	х	_	_	_	_	_	_	x	_		_	3, 5, 10, 11, 13, 18, 19, 21, 22, 32, 33, 40, 42, 49
Rosa californica	3	Х	Х		x	_	-		_	_	-	_	8, 18, 22, 26, 49
Rubus ursinus	3	х	-	-	-	_	_	_	-	_	-	-	5, 13, 22
FABACEAE													
Lupinus sp.	1	Х	_	_	_	_	-	_	_	_	-	_	16, 22
L. truncatus	1	х	-	-	_		_	-	_	_		-	22
Trifolium spp.	2	х		-	_			_	-	-	_	_	2, 22
GERANIACEAE													
Erodium moschatum (I)	1	Х	x	_	_	-	-	_	-	-	_	fodder	5, 9, 18, 22, 34, 35, 49

December 1984

Plant species	Spec.	FOOD	MED	ICINE	MA	FERIAI	L CULT	URE	CEI	REMON	IAL	MISC.	REFERENCES
	at NAA		cur.	hyg.	clo.	con.	cra.	tools	rel.	mag.	amu.	USES	
EUPHORBIACEAE													
Croton californicus	2	-	х	_	_	_	_	_	_		_		8,22
Euphorbia sp.	0	-	x	_	—		-	_	—	-	—	_	5, 8, 41
ANACARDIACEAE													
Rhus integrifolia	3	х	x		-		_	_	_		_	-	
R. laurina	3	х	x	_			_	_	-	_	_	-	22,40
R. ovata	3	х	x	_	—	_	-	_	-	_	—	-	
R. trilobata	1	х		_	2-1	-	х	_	х	-	-	-	9, 16, 17, 22, 31
Toxicodendron diversilobum	0	_	x	-	-		-	_	-	-	-	-	2, 19, 22, 47, 49
RHAMNACEAE													
Ceanothus megacarpus	6	_	_	_	_	—	_	x	х	_	_	(Moth	2, 3, 9,
C. oliganthus	1	-	-	-		-	-	x	x	-	-	coc- coons: rattles)	22, 31, 35
C. spinosus	7	_	-	-		_	_	х	х	-	_	14(1103)	
Rhamnus californica	3	_	х	_	_	_	_	_	_	_	_	_	5, 8, 18, 22

Plant species	at	FOOD	MED cur.	ICINE hyg.	MA' clo.	FERIAL con.	CULT cra.	URE tools	CEI rel.	REMON mag.		MISC. USES	REFERENCES
	NAA												
VITACEAE													
Vitis girdiana	0	х		_		_	_		_	_	_	-	2, 22, 32
IALVACEAE													
Malacothamnus fasciculatus	2	_	х	-	_	_	x		_	_	_	_	22
Aalva parviflora (I)	1	x	х	-	-	-	x	_	-	-	-	-	5, 8, 14, 18, 22, 49
CACTACEAE													
Opuntia ficus-indica (I)	0	х	х	-	х	х	-	х	_	-	_	bait, paint	5, 9, 13, 14, 22, 25, 31,
D. littoralis	0	x	X				-	x	-	-	-	ear- pierc- ing	23, 31, 32, 39, 40, 43, 48, 49
D. oricola	0	х	-	-	-	х	-	-	-	-	_	—	10, 10
D. phaecantha	0	х	Х	-	-	_	_	x	-	-	-	tattoo- ing	
DNAGRACEAE													
Zauschneria californica	2	_	х	_		_	_	_	_	_	_	-	8,35

APPENDIX 1. Plants Used by the Chumash (continued)

December 1984

JOURNAL OF ETHNOBIOLOGY

APPENDIX	1.	Plants	Used	by	the	Chumash	continued)
----------	----	--------	------	----	-----	---------	-----------	---

Plant species	Spec.	FOOD	MED	ICINE	MA	FERIAI	L CULT	URE	CE	REMON		MISC.	REFERENCES
	at NAA		cur.	hyg.	clo.	con.	cra.	tools	rel.	mag.	amu.	USES	
ARALIACEAE													
Aralia californica	0	-	x	_	_	_	_	_	_	_	_	-	8,18
APIACEAE													
Apium graveolens (I)	0	х	-	_	—	-	_	_	_	_	-	-	22, 49
Foeniculum vulgare(I)	1	-	х	-	_	-	_	_		-	-	_	19, 49
Daucus pusillus	0	-	x	_	-	-	-	-	-	x	_	_	5, 22, 35, 43, 47
Lomatium californicum	0	х	х	-	_	-	_	-		х	_	_	5, 8, 18, 19, 22, 32, 35, 37, 42, 47
CORNACEAE													
Cornus stolonifera	0	_	-	-	_	x	x	x	-	-	x	-	22, 32, 33, 43
ERICACEAE													
Arctostaphylos glauca	5	х	х	_	_	_	-	_	-	-	_	_	2, 5, 16, 22, 49
PRIMULACEAE													
Anagallis arvensis (I)	7	_	x		_	_	_		_	_	_	_	14, 18, 49

Plant species	Spec.	FOOD	MED	ICINE	MA	FERIAL	CULT	URE	CE	REMON	IAL	MISC.	REFERENCES
	at NAA		cur.	hyg.	clo.	con.	cra.	tools	rel.	mag.	amu.	USES	
OLEACEAE													
Fraxinus dipetala	0	_	х	_	_	_	х	_	_	-	_	paint	19, 22
GENTIANACEAE													
Centaurium venustum	0		x	-	_	_	_	-	_	_	_	_	8,22
APOCYNACEAE													
Apocynum cannabinum	0	—	-	-	х	х	х	х	х	-	х	-	2, 9, 22, 27,
ASCLEPIADACEAE													31, 33
Asclepias eriocarpa	0	_	_		_	-	х		_	_	_	gum	1, 2,
A. fascicularis	0	-	-	_	_	_	х	_		_	_	gum	22, 31, 43
HYDROPHYLLACEAE													
Eriodictyon crassifolium	3	-	x	_	-	-	_	_	-	х	_	_	3, 5, 8, 9, 18,
VERBENACEAE													22, 31, 47
Verbena lasiostachys	5	_	x	x		_	_	_	_	_	-	_	22
LAMIACEAE													
Marrubium vulgare (I)	2	_	x	_	_		_	_	_	_	-	-	18, 22, 49

APPENDIX 1.	Plants	Used by	the Chumash	(continued)
-------------	--------	---------	-------------	-------------

Plant species	Spec.	FOOD	MED	ICINE	MA	TERIAI	L CULT	URE	CE	REMON	IIAL	MISC.	REFERENCES
	at NAA		cur.	hyg.	clo.	con.	cra.	tools	rel.	mag.	amu.	USES	
Salvia apiana	2	_	x	_	_	_	_	_	x	x	_	_	1057
S. columbariae	0	x	x	-	_	_	-	_	x	_	_	-	1, 2, 5, 7, 8, 9, 16,
S. leucophylla	4	х	х	_	-	-	_	_	x	x	_	-	18, 22, 27, 29, 31, 32, 34, 36, 37,
S. mellifera	4	х	х	-	-	-	-	-	x	х	-	-	40, 41, 42, 49, 50
S. spathacea	4	х	х	-	_	-	-	-	—	-	-	-	,
Satureja douglasii	0	х	х	_	_	_	_	-	-	_	-	_	5, 8, 18, 22, 47, 49
Trichostema lanatum	4	-	х	_	_	_	_	_		_	_	-	5, 22, 49
SOLANACEAE Datura meteloides ^b	1	_	x	_	_	_	_	_	x	_	_	_	4, 18, 19, 22, 27, 36, 47, 49
Nicotiana attenuata	0	_	x	_	_	_	_	-	x	x	x	_	
N. bigelovii	0	_	x	_	_	_	_		x	x	x	_	2, 9, 10, 13, 18, 19,
N. Clevelandii	0		х	-	-	-	-	-	х	х	х	-	22, 27, 31, 36, 40, 43, 47,
Solanum douglasii	3	х	х	х	-	-	-	-	-	-	-	tattoo- ing	22, 31

APPENDIX 1. I	Plants Used	d in the	Chumash	(continued))
---------------	-------------	----------	---------	-------------	---

Plant species	Spec.	FOOD	MED	ICINE	MA	TERIAI	CULT	URE	CE	REMON	IAL	MISC.	REFERENCES
	at NAA		cur.	hyg.	clo.	con.	cra.	tools	rel.	mag.	amu.	USES	
SCROPHULARIACEAE													
Keckiella cordifolia	5	-	х	-	-	-	-	—		-	_	-	5, 8, 22
PLANTAGINACEAE													
Plantago lanceolata (I)	0	_	x	-	_	_	_	-	_	_	_	-	8, 18, 22
CAPRIFOLIACEAE													
Lonicera johnstonii	2	_	_	_	-	_	х	х	_	-	_	-	
L. subspicata	4	_	x	_	_	_	_	_		_	_	_	3, 5, 8, 22, 34
Sambucus mexicana	7	х	х	-	-	_	Х	х	х	х	х	-	5, 8, 9, 18, 19, 21, 22, 31, 49
Symphoricarpos mollis	3	-	_	-		_	х	х	_	_	_	_	22, 31
CUCURBITACEAE													
Cucurbita foetidissima	0	° — °	x	х	-	_	х	_	_	х	Х	_	3, 5, 16, 22, 27, 31, 34
Marah macrocarpus	1	(<u> </u>)	х	х	х	_	-	-		х	х	_	5, 14, 19, 22, 37, 47
STERACEAE													
Achillea millefolium	3		х			_		_	_	_	-	_	8,22

December 1984

Plant species	Spec.	FOOD	MED	ICINE	MA	FERIAI	L CULI	TURE	CE	REMO	NIAL	MISC.	REFERENCES
	at NAA		cur.	hyg.	clo.	con.	cra.	tools	rel.	mag.	amu.	USES	
Artemisia californica	2	_	x	_	_	x	_	x	x	x	x	_	8, 18, 22, 31
A. douglasiana	3	-	x	_	-	_	-	_	_	-	_	cradle lining	1, 5, 8, 9, 10, 14, 18, 22, 47, 49
A. tridentata	2	-	_	_	_	_	_	x	_		_	fuel	22
Baccharis glutinosa	1	_	_	_	_	_	_	х	_	_	_	_	9,22
B. pilularis	3	_	х	-	—	-	-		—	-	_	_	18
B. plummerae	3	-	x	-	-	-	_	_	-	_	_	-	5, 8, 18, 19, 22, 49
Gnaphalium bicolor	1	_	х	_		-	_	_	_	-	_	_	
G. californicum	4	_	х	-	-	-	_	_	_	_	-	_	5, 8, 20, 22
G. microcephalum	1	—	х	-	-	_	-	_	_	_	-	-	
Grindelia sp.	0		х	-	-	_	_	_	_	_	_	_	5, 8, 41, 43
Helenium puberulum	1	-	х	_	_		-	_	—		_	_	8, 22, 43
Hemizonia ramosissima	3	х	—	_	_	_	х	_	_	-	-	-	6, 16, 22, 43
Heterotheca grandifolia	1	_	-	x	-	-	-	_	_	_	_		22
Layia platyglossa	0	х	-	_	_	_	_	_	_	_	_	_	22

APPENDIX 1. Plants Used by the Chumash (continued)

(Robert A. Bye, personal communication 1984).

Plant species	Spec.	FOOD	MEDICINE		MATERIAL CUL			TURE CE		REMONIAL		MISC.	REFERENCES
	at NAA		cur.	hyg.	clo.	con.	cra.	tools	rel.	mag.	amu.	USES	
Matricaria matricarioides	1	_	x	-	-	_	_	_	-	_	-	-	5, 8, 18, 21, 22, 49
Perezia microcephala	2	_ ¤	x	-	-	-	-		-	_	_	_	5, 8, 18, 22, 43
Solidago californica	3	-	Х	_	-	_	_	_	-	-	_	_	5, 8, 18, 22, 43
Sonchus oleraceus (I)	3	х	_	_	_	_	_	_	_	_	_	_	22
Xanthium strumarium	1	-	х	-	—	-	-	—	_	—	-	-	8, 18, 22
ABBREVIATIONS USEI	D:												
Spec. at NAA = Plant spe	cimens in the H	larrison to	on colle	ction a	t the Na	tional A	Anthrop	pological	Archi	ves, Smi	thsonia	n Institut	ion
cur. = curing	clo clothing			rel. = religious				(I) = Introduced species			numbered references		
nyg. = hygiene	con. = constru	mag. = magical					X = recorded usage			are listed at the beginning of the Appendix			
	cra. = crafts	amu. = amusements					— = no recorded usage						
Sequoia sempervirens dr	iftwood was ut	lized; th	is plant	does no	ot grow	in Chui	mash te	erritory.					
Datura meteloides, desp	ite its acceptan	e in stan	dard re	ference	works,	is an in	valid ta	ixon whi	ch is u	ndergoir	ng revisi	on	